

Industrial connectors Han® > Inserts

Image is for illustration purposes only




Han 10ES Press - F

Inserts, Cage-clamp termination, Female, Polycarbonate, RAL 7032 (pebble grey), Rated current: 16 A, Size: 10, Contacts: 10, Conductor cross-section: 0.14 ... 2.5 mm², Copper alloy, Silver plated

Part number: 09 33 010 2748

Please [login](#) or [register](#) for a free MyHARTING Account

for all information about product availability and your order



Combinable products

Technical data

Go to:

Downloads

630

+

630

+


610


+

610

+

Animated GIF (640x480)





+

Catalogue

Links

Combinables



Accessories





H H H H
E E E E:
P P P P:
P P P P:
ir ir ir in
ju ju ju ju
J J J J
A A A A



H S H H
E F E E:
P S P P:
P A P P:
ir 0 ir in
ju 3 ju ju
J 0 J J
A A A A



H H H H
E E E E:
P P P P:
P P P P:
ir ir ir in
ju ju ju ju
J J J J
A A A A



H
E!
Pi

eShop

You can go directly to the shop here,
and get detailed information about all
HARTING products.

Distributors

You
can
find
all
global
distributors
of
HARTING
products
here.

Contact

You can ask us questions about
products and solutions or give
feedback about our website here.

HARTING Newsletter

Your E-Mail Address

Go to Registration form

