

FM Global Outlet 88x88, 3x1-Port, pure white



PRODUCT_IMAGE

DESCRIPTION

Suitable for flush-mounted (FM) and duct-mounted (DM) installations. For use with cover frames and duct covers of Ø 70 mm in diameter or 70x70 mm cutouts. Suitable for backboxes and floorbox module holders of Ø 60 mm mounting tracks.

Recommended depth for backboxes and floorboxes min. 70 mm.

Plastic: PC + ABS, halogen-free.

SCOPE OF SUPPLY

- Cover frame 88x88 mm
- 3-part faceplate 60x60 mm incl. fastening screws
- Mounting plate, 70x70 mm, steel
- Label strips, blank

TENDER

This outlet designed for flush installations and duct-mounting, including a mounting plate with a mounting track of 60 mm, cover frame of 80 x 80 mm, labeling window and module holder for 3 individual RJ45 modules. Color: white (RAL 9010). Halogen-free in acc. with DIN/VDE 0472/815. Designed to accommodate the R&M security and the R&M environment system. The 3-level protection concept comprises the options color coding, mechanical-visual coding, and the locking of individual ports.

TECHNICAL DATA

DESCRIPTION	VALUE / VALUE RANGE
Protection class IP	IP 20
Application area	flush-mounting (FM)
Assembly	empty
Outlet type	outlet
Holder for connector / module	Module holder
Capacity (ports)	3 x 1
Standard	Halogen-free, in accordance with DIN/VDE 0472/815
















MECHANICAL DATA











DESCRIPTION	VALUE / VALUE RANGE
Dimensions	88.0 mm x 88.0 mm / 3.465 in x 3.465 in (W x H)
Color Code RAL	9010 Pure white
Material	plastic: PC + ABS

ENVIRONMENTAL DATA

DESCRIPTION	VALUE / VALUE RANGE
Operation temperature	-10 °C to +80 °C / +14 °F to +176 °F

ACCESSORIES

Type	Picture	Description	Article	E-Number
Panel modules		Connection Module Cat. 6, 1xRJ45/s, 10x R302372		977821035
Panel modules		Connection Module Cat. 6, 1xRJ45/u, 10x R302373		977821045
Accessories		Plug Guard Security Level 3 universal IP2 R304825		977901245
Accessories		Plug Guard Security Level 3 universal IP2 R304826		977901265
Accessories		Plug Guard Security Level 3 universal IP2 R304827		977901215
Accessories		Hinged Dust Cover Security Level 1 unive R305685		977901405
Accessories		Hinged Dust Cover Security Level 1 unive R305686		977901425
Accessories		Hinged Dust Cover Security Level 1 unive R305687		977901485
Accessories		Hinged Dust Cover Security Level 1 unive R305688		977901455
Accessories		Hinged Dust Cover Security Level 1 unive R305689		977901555
Accessories		Hinged Dust Cover Security Level 1 unive R305690		977901445
Accessories		Hinged Dust Cover Security Level 1 unive R305691		977901465
Accessories		Hinged Dust Cover Security Level 1 unive R305692		977901435
Accessories		Hinged Dust Cover Security Level 1 unive R305693		977901415
Accessories		Splash Cap Security Level 1 universal IP R306058		966907125
Accessories		Splash Cap Security Level 1 universal IP R306060		966907155
Accessories		Splash Cap Security Level 1 universal IP R306061		966907145

Type	Picture	Description	Article	E-Number
Accessories		Splash Cap Security Level 1 universal IP	R306062	966907165
Accessories		Splash Cap Security Level 1 universal IP	R306063	966907115
Accessories		A4 Label Sheet, 104x 50x9 mm	R312102	
Panel modules		Connection Module Cat. 6A, 1xRJ45/u, 1	R509500	966733865
Panel modules		Connection Module Cat. 6A, 1xRJ45/s, 1	R509504	966733885
Panel modules		Connection Module Cat. 6A EL, 1xRJ45/s	R813504	977803005
Panel modules		Connection Module Cat. 6A EL, 1xRJ45/u	R813506	977833005
Panel modules		Connection Module Cat. 5e, 1xRJ45/s, 10	R925370	977801005
Panel modules		Connection Module Cat. 5e, 1xRJ45/u, 10	R925371	977841005
Accessories		Blind Cover Universal, white	R925719	977904015