



Roxtec G frame

The Roxtec G frame is a metal frame with flange available with a single opening or in combinations with several openings in width and/or height.

- To be used with corresponding Roxtec components to form a complete sealing solution
- Attachment by casting or welding
- Casting mold accessory available
- GE extension frame accessory available



G 6x1 PRIMED



G 6x1 AISI316

Primed mild steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 2x1 PRIMED	1	120 x 60	252.5 x 233 x 60	188(+15/-15) x 173(+15/-15)	3.4	G002000000112
G 2x2 PRIMED	2	120 x 60	383 x 233 x 60	318(+15/-15) x 173(+15/-15)	5.4	G002000000212
G 2x3 PRIMED	3	120 x 60	513.5 x 233 x 60	449(+15/-15) x 173(+15/-15)	7.4	G002000000312
G 2x4 PRIMED	4	120 x 60	644 x 233 x 60	579(+15/-15) x 173(+15/-15)	9.3	G002000000412
G 2x5 PRIMED	5	120 x 60	774.5 x 233 x 60	710(+15/-15) x 173(+15/-15)	11.2	5G00000006930
G 2x6 PRIMED	6	120 x 60	905 x 233 x 60	840(+15/-15) x 173(+15/-15)	13.7	5G00000004785
G 2x7 PRIMED	7	120 x 60	1035.5 x 233 x 60	971(+15/-15) x 173(+15/-15)	0	5G00000004786
G 2x8 PRIMED	8	120 x 60	1166 x 233 x 60	1101(+15/-15) x 173(+15/-15)	0	112503
G 2x9 PRIMED	9	120 x 60	1296.5 x 233 x 60	1232(+15/-15) x 173(+15/-15)	16	112504
G 2x10 PRIMED	10	120 x 60	1427 x 233 x 60	1362(+15/-15) x 173(+15/-15)	0	112505
G 2+2x1 PRIMED	2	120 x 60	252.5 x 344 x 60	188(+15/-15) x 284(+15/-15)	5.4	G002200000112
G 2+2x2 PRIMED	4	120 x 60	383 x 346 x 60	318(+15/-15) x 284(+15/-15)	8.9	5G00000005011
G 2+2x3 PRIMED	6	120 x 60	513.5 x 346 x 60	449(+15/-15) x 284(+15/-15)	11.6	5G00000013096

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 2+2x4 PRIMED	8	120 x 60	644 x 346 x 60	579(+15/-15) x 284(+15/-15)	15.4	112511
G 2+2x5 PRIMED	10	120 x 60	774.5 x 346 x 60	710(+15/-15) x 284(+15/-15)	0	112512
G 2+2x6 PRIMED	12	120 x 60	905 x 346 x 60	840(+15/-15) x 284(+15/-15)	0	112513
G 2+2x7 PRIMED	14	120 x 60	1035.5 x 346 x 60	971(+15/-15) x 284(+15/-15)	0	112514
G 2+2x8 PRIMED	16	120 x 60	1166 x 346 x 60	1101(+15/-15) x 284(+15/-15)	0	112515
G 2+2x9 PRIMED	18	120 x 60	1296.5 x 346 x 60	1232(+15/-15) x 284(+15/-15)	0	112516
G 2+2x10 PRIMED	20	120 x 60	1427 x 346 x 60	1362(+15/-15) x 284(+15/-15)	0	112517
G 2+2+2x7 PRIMED	21	120 x 60	1035.5 x 459 x 60	971(+15/-15) x 395(+15/-15)	0	112529
G 2+2+2x8 PRIMED	24	120 x 60	1166 x 459 x 60	1101(+15/-15) x 395(+15/-15)	0	112530
G 2+2+2x9 PRIMED	27	120 x 60	1296.5 x 459 x 60	1232(+15/-15) x 395(+15/-15)	0	112531
G 2+2+2+2x1 PRIMED	4	120 x 60	252.5 x 566 x 60	188(+15/-15) x 506(+15/-15)	0	112538
G 2+2+2+2x2 PRIMED	8	120 x 60	383 x 572 x 60	318(+15/-15) x 506(+15/-15)	14.8	160590
G 2+2+2+2x3 PRIMED	12	120 x 60	513.5 x 572 x 60	449(+15/-15) x 506(+15/-15)	20.4	153572
G 2+2+2+2x4 PRIMED	16	120 x 60	644 x 572 x 60	579(+15/-15) x 506(+15/-15)	26	160591
G 2+2+2+2x5 PRIMED	20	120 x 60	774.5 x 572 x 60	710(+15/-15) x 506(+15/-15)	31.6	160592
G 2+2+2+2x6 PRIMED	24	120 x 60	905 x 572 x 60	840(+15/-15) x 506(+15/-15)	37.2	160593
G 2+2+2+2x7 PRIMED	28	120 x 60	1035.5 x 572 x 60	971(+15/-15) x 506(+15/-15)	42.8	160594
G 2+2+2+2x8 PRIMED	32	120 x 60	1166 x 572 x 60	1101(+15/-15) x 506(+15/-15)	48.4	160595
G 2+2+2+2x9 PRIMED	36	120 x 60	1296.5 x 572 x 60	1232(+15/-15) x 506(+15/-15)	54	160596
G 2+2+2+2x10 PRIMED	40	120 x 60	1427 x 572 x 60	1362(+15/-15) x 506(+15/-15)	59.6	160597
G 4x1 PRIMED	1	120 x 120	252.5 x 291.5 x 60	188(+15/-15) x 232(+15/-15)	3.8	G004000000112
G 4x2 PRIMED	2	120 x 120	383 x 291.5 x 60	318(+15/-15) x 232(+15/-15)	6.3	G004000000212
G 4x3 PRIMED	3	120 x 120	513.5 x 291.5 x 60	449(+15/-15) x 232(+15/-15)	8.8	G004000000312
G 4x4 PRIMED	4	120 x 120	644 x 291.5 x 60	579(+15/-15) x 232(+15/-15)	11.1	G004000000412
G 4x5 PRIMED	5	120 x 120	774.5 x 291.5 x 60	710(+15/-15) x 232(+15/-15)	13.1	G004000000512
G 4x6 PRIMED	6	120 x 120	905 x 291.5 x 60	840(+15/-15) x 232(+15/-15)	15.3	G004000000612
G 4x7 PRIMED	7	120 x 120	1035.5 x 291.5 x 60	971(+15/-15) x 232(+15/-15)	17.6	G004000000712
G 4x8 PRIMED	8	120 x 120	1166 x 291.5 x 60	1101(+15/-15) x 232(+15/-15)	19.8	G004000000812
G 4x9 PRIMED	9	120 x 120	1296.5 x 291.5 x 60	1232(+15/-15) x 232(+15/-15)	22.1	G004000000912

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 4x10 PRIMED	10	120 x 120	1427 x 291.5 x 60	1362(+15/-15) x 232(+15/-15)	24.3	G004000001012
G 4+4x1 PRIMED	2	120 x 120	252.5 x 461 x 60	188(+15/-15) x 401(+15/-15)	6.6	G004400000112
G 4+4x2 PRIMED	4	120 x 120	383 x 463 x 60	318(+15/-15) x 401(+15/-15)	10.5	G004400000212
G 4+4x3 PRIMED	6	120 x 120	513.5 x 463 x 60	449(+15/-15) x 401(+15/-15)	14.2	G004400000312
G 4+4x4 PRIMED	8	120 x 120	644 x 463 x 60	579(+15/-15) x 401(+15/-15)	17.9	G004400000412
G 4+4x5 PRIMED	10	120 x 120	774.5 x 463 x 60	710(+15/-15) x 401(+15/-15)	21.7	G004400000512
G 4+4x6 PRIMED	12	120 x 120	905 x 463 x 60	840(+15/-15) x 401(+15/-15)	25.4	G004400000612
G 4+4x7 PRIMED	14	120 x 120	1035.5 x 463 x 60	971(+15/-15) x 401(+15/-15)	29.2	G004400000712
G 4+4x8 PRIMED	16	120 x 120	1166 x 463 x 60	1101(+15/-15) x 401(+15/-15)	32.9	G004400000812
G 4+4x9 PRIMED	18	120 x 120	1296.5 x 463 x 60	1232(+15/-15) x 401(+15/-15)	36.6	G004400000912
G 4+4x10 PRIMED	20	120 x 120	1427 x 463 x 60	1362(+15/-15) x 401(+15/-15)	40.4	G004400001012
G 4+4+4x1 PRIMED	3	120 x 120	252.5 x 630.5 x 60	188(+15/-15) x 571(+15/-15)	9.1	G004440000112
G 4+4+4x7 PRIMED	21	120 x 120	1035.5 x 634.5 x 60	971(+15/-15) x 571(+15/-15)	0	5G00000003109
G 4+4+4x8 PRIMED	24	120 x 120	1166 x 634.5 x 60	1101(+15/-15) x 571(+15/-15)	46.5	5G00000010977
G 4+4+4x9 PRIMED	27	120 x 120	1296.5 x 634.5 x 60	1232(+15/-15) x 571(+15/-15)	0	112551
G 4+4+4x10 PRIMED	30	120 x 120	1427 x 634.5 x 60	1362(+15/-15) x 571(+15/-15)	0	112552
G 4+4+4+4x1 PRIMED	4	120 x 120	252.5 x 800 x 60	188(+15/-15) x 740(+15/-15)	0	5G00000000636
G 4+4+4+4x2 PRIMED	8	120 x 120	383 x 806 x 60	318(+15/-15) x 740(+15/-15)	18.6	160605
G 4+4+4+4x3 PRIMED	12	120 x 120	513.5 x 806 x 60	449(+15/-15) x 740(+15/-15)	25.3	105482
G 4+4+4+4x4 PRIMED	16	120 x 120	644 x 806 x 60	579(+15/-15) x 740(+15/-15)	32	160606
G 4+4+4+4x5 PRIMED	20	120 x 120	774.5 x 806 x 60	710(+15/-15) x 740(+15/-15)	38.7	160607
G 4+4+4+4x7 PRIMED	28	120 x 120	1035.5 x 806 x 60	971(+15/-15) x 740(+15/-15)	52.1	160608
G 4+4+4+4x8 PRIMED	32	120 x 120	1166 x 806 x 60	1101(+15/-15) x 740(+15/-15)	63.7	5G00000004839
G 4+4+4+4x9 PRIMED	36	120 x 120	1296.5 x 806 x 60	1232(+15/-15) x 740(+15/-15)	65.4	160609
G 4+4+4+4x10 PRIMED	40	120 x 120	1427 x 806 x 60	1362(+15/-15) x 740(+15/-15)	72.1	160610
G 6x1 PRIMED	1	120 x 180	252.5 x 350 x 60	188(+15/-15) x 290(+15/-15)	4.4	G006000000112
G 6x2 PRIMED	2	120 x 180	383 x 350 x 60	318(+15/-15) x 290(+15/-15)	7.4	G006000000212
G 6x3 PRIMED	3	120 x 180	513.5 x 350 x 60	449(+15/-15) x 290(+15/-15)	9.8	G006000000312
G 6x4 PRIMED	4	120 x 180	644 x 350 x 60	579(+15/-15) x 290(+15/-15)	12.3	G006000000412

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 6x5 PRIMED	5	120 x 180	774.5 x 350 x 60	710(+15/-15) x 290(+15/-15)	16.6	G006000000512
G 6x6 PRIMED	6	120 x 180	905 x 350 x 60	840(+15/-15) x 290(+15/-15)	17.4	G006000000612
G 6x7 PRIMED	7	120 x 180	1035.5 x 350 x 60	971(+15/-15) x 290(+15/-15)	19.9	G006000000712
G 6x8 PRIMED	8	120 x 180	1166 x 350 x 60	1101(+15/-15) x 290(+15/-15)	22.4	G006000000812
G 6x9 PRIMED	9	120 x 180	1296.5 x 350 x 60	1232(+15/-15) x 290(+15/-15)	25	G006000000912
G 6x10 PRIMED	10	120 x 180	1427 x 350 x 60	1362(+15/-15) x 290(+15/-15)	27.5	G006000001012
G 6+6x1 PRIMED	2	120 x 180	252.5 x 578 x 60	188(+15/-15) x 518(+15/-15)	8	G006600000112
G 6+6x2 PRIMED	4	120 x 180	383 x 580 x 60	318(+15/-15) x 518(+15/-15)	13.7	G006600000212
G 6+6x3 PRIMED	6	120 x 180	513.5 x 580 x 60	449(+15/-15) x 518(+15/-15)	19.3	G006600000312
G 6+6x4 PRIMED	8	120 x 180	644 x 580 x 60	579(+15/-15) x 518(+15/-15)	20.9	G006600000412
G 6+6x5 PRIMED	10	120 x 180	774.5 x 580 x 60	710(+15/-15) x 518(+15/-15)	25.2	G006600000512
G 6+6x6 PRIMED	12	120 x 180	905 x 580 x 60	840(+15/-15) x 518(+15/-15)	29.5	G006600000612
G 6+6x7 PRIMED	14	120 x 180	1035.5 x 580 x 60	971(+15/-15) x 518(+15/-15)	33.8	G006600000712
G 6+6x8 PRIMED	16	120 x 180	1166 x 580 x 60	1101(+15/-15) x 518(+15/-15)	38.1	G006600000812
G 6+6x9 PRIMED	18	120 x 180	1296.5 x 580 x 60	1232(+15/-15) x 518(+15/-15)	42.4	G006600000912
G 6+6x10 PRIMED	20	120 x 180	1427 x 580 x 60	1362(+15/-15) x 518(+15/-15)	46.7	G006600001012
G 6+6+6x1 PRIMED	3	120 x 180	252.5 x 806 x 60	188(+15/-15) x 746(+15/-15)	11.1	G006660000112
G 6+6+6x4 PRIMED	12	120 x 180	644 x 810 x 60	579(+15/-15) x 746(+15/-15)	30.5	5G00000004405
G 6+6+6x7 PRIMED	21	120 x 180	1035.5 x 810 x 60	971(+15/-15) x 746(+15/-15)	0	112568
G 6+6+6x8 PRIMED	24	120 x 180	1166 x 810 x 60	1101(+15/-15) x 746(+15/-15)	0	5G00000004197
G 6+6+6x9 PRIMED	27	120 x 180	1296.5 x 810 x 60	1232(+15/-15) x 746(+15/-15)	59.5	5G00000007082
G 6+6+6x10 PRIMED	30	120 x 180	1427 x 810 x 60	1362(+15/-15) x 746(+15/-15)	0	5G00000008853
G 6+6+6+6x1 PRIMED	4	120 x 180	252.5 x 1034 x 60	188(+15/-15) x 974(+15/-15)	15	5G00000002890
G 6+6+6+6x2 PRIMED	8	120 x 180	383 x 1040 x 60	318(+15/-15) x 974(+15/-15)	22.3	160619
G 6+6+6+6x3 PRIMED	12	120 x 180	513.5 x 1040 x 60	449(+15/-15) x 974(+15/-15)	30.1	160620
G 6+6+6+6x4 PRIMED	16	120 x 180	644 x 1040 x 60	579(+15/-15) x 974(+15/-15)	37.9	160621
G 6+6+6+6x5 PRIMED	20	120 x 180	774.5 x 1040 x 60	710(+15/-15) x 974(+15/-15)	45.7	160622
G 6+6+6+6x6 PRIMED	24	120 x 180	905 x 1040 x 60	840(+15/-15) x 974(+15/-15)	53.5	156817
G 6+6+6+6x7 PRIMED	28	120 x 180	1035.5 x 1040 x 60	971(+15/-15) x 974(+15/-15)	61.3	160623
G 6+6+6+6x8 PRIMED	32	120 x 180	1166 x 1040 x 60	1101(+15/-15) x 974(+15/-15)	69.1	160624

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 6+6+6+6x9 PRIMED	36	120 x 180	1296.5 x 1040 x 60	1232(+15/-15) x 974(+15/-15)	76.9	160625
G 6+6+6+6x10 PRIMED	40	120 x 180	1427 x 1040 x 60	1362(+15/-15) x 974(+15/-15)	84.7	160626
G 8x1 PRIMED	1	120 x 240	252.5 x 410 x 60	188(+15/-15) x 350(+15/-15)	5.2	G008000000112
G 8x2 PRIMED	2	120 x 240	383 x 410 x 60	318(+15/-15) x 350(+15/-15)	8.3	G008000000212
G 8x3 PRIMED	3	120 x 240	513.5 x 410 x 60	449(+15/-15) x 350(+15/-15)	11.1	G008000000312
G 8x4 PRIMED	4	120 x 240	644 x 410 x 60	579(+15/-15) x 350(+15/-15)	14	G008000000412
G 8x5 PRIMED	5	120 x 240	774.5 x 410 x 60	710(+15/-15) x 350(+15/-15)	16.7	G008000000512
G 8x6 PRIMED	6	120 x 240	905 x 410 x 60	840(+15/-15) x 350(+15/-15)	19.5	G008000000612
G 8x7 PRIMED	7	120 x 240	1035.5 x 410 x 60	971(+15/-15) x 350(+15/-15)	22.3	5G00000002067
G 8x8 PRIMED	8	120 x 240	1166 x 410 x 60	1101(+15/-15) x 350(+15/-15)	25.1	5G00000005351
G 8x9 PRIMED	9	120 x 240	1296.5 x 410 x 60	1232(+15/-15) x 350(+15/-15)	28.5	5G00000008494
G 8x10 PRIMED	10	120 x 240	1427 x 410 x 60	1362(+15/-15) x 350(+15/-15)	30.7	5G00000000726
G 8+8x1 PRIMED	2	120 x 240	252.5 x 698 x 60	188(+15/-15) x 638(+15/-15)	8.3	5G00000003170
G 8+8x2 PRIMED	4	120 x 240	383 x 700 x 60	318(+15/-15) x 638(+15/-15)	16	5G00000003511
G 8+8x3 PRIMED	6	120 x 240	513.5 x 700 x 60	449(+15/-15) x 638(+15/-15)	19.7	5G00000001337
G 8+8x4 PRIMED	8	120 x 240	644 x 700 x 60	579(+15/-15) x 638(+15/-15)	24.5	5G00000002069
G 8+8x5 PRIMED	10	120 x 240	774.5 x 700 x 60	710(+15/-15) x 638(+15/-15)	36.1	5G0000006239
G 8+8x6 PRIMED	12	120 x 240	905 x 700 x 60	840(+15/-15) x 638(+15/-15)	33.2	5G00000002068
G 8+8x7 PRIMED	14	120 x 240	1035.5 x 700 x 60	971(+15/-15) x 638(+15/-15)	49.1	5G0000006990
G 8+8x8 PRIMED	16	120 x 240	1166 x 700 x 60	1101(+15/-15) x 638(+15/-15)	43.9	5G00000003074
G 8+8x9 PRIMED	18	120 x 240	1296.5 x 700 x 60	1232(+15/-15) x 638(+15/-15)	49.5	5G00000009636
G 8+8x10 PRIMED	20	120 x 240	1427 x 700 x 60	1362(+15/-15) x 638(+15/-15)	53	5G00000002809
G 8+8+8x7 PRIMED	21	120 x 240	1035.5 x 990 x 60	971(+15/-15) x 926(+15/-15)	55	5G00000004437
G 8+8+8x8 PRIMED	24	120 x 240	1166 x 990 x 60	1101(+15/-15) x 926(+15/-15)	0	112582
G 8+8+8x9 PRIMED	27	120 x 240	1296.5 x 990 x 60	1232(+15/-15) x 926(+15/-15)	0	104995
G 8+8+8x10 PRIMED	30	120 x 240	1427 x 990 x 60	1362(+15/-15) x 926(+15/-15)	0	104402
G 8+8+8+8x1 PRIMED	4	120 x 240	252.5 x 1274 x 60	188(+15/-15) x 1214(+15/-15)	17.5	112587
G 8+8+8+8x2 PRIMED	8	120 x 240	383 x 1280 x 60	318(+15/-15) x 1214(+15/-15)	26.2	160635
G 8+8+8+8x3 PRIMED	12	120 x 240	513.5 x 1280 x 60	449(+15/-15) x 1214(+15/-15)	35.1	160636

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 8+8+8+8x4 PRIMED	16	120 x 240	644 x 1280 x 60	579(+15/-15) x 1214(+15/-15)	44	124555
G 8+8+8+8x5 PRIMED	20	120 x 240	774.5 x 1280 x 60	710(+15/-15) x 1214(+15/-15)	53	160637
G 8+8+8+8x6 PRIMED	24	120 x 240	905 x 1280 x 60	840(+15/-15) x 1214(+15/-15)	61.9	160638
G 8+8+8+8x7 PRIMED	28	120 x 240	1035.5 x 1280 x 60	971(+15/-15) x 1214(+15/-15)	70.8	160639
G 8+8+8+8x8 PRIMED	32	120 x 240	1166 x 1280 x 60	1101(+15/-15) x 1214(+15/-15)	79.7	160640
G 8+8+8+8x9 PRIMED	36	120 x 240	1296.5 x 1280 x 60	1232(+15/-15) x 1214(+15/-15)	88.7	160641
G 8+8+8+8x10 PRIMED	40	120 x 240	1427 x 1280 x 60	1362(+15/-15) x 1214(+15/-15)	97.6	160642

Stainless steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 2x1 AISI316	1	120 x 60	252.5 x 233 x 60	147.5(+5/-5) x 128(+5/-5)	3.4	G002000000121
G 2x2 AISI316	2	120 x 60	383 x 233 x 60	318(+15/-15) x 173(+15/-15)	5.5	5G00000000072
G 2x3 AISI316	3	120 x 60	513.5 x 233 x 60	449(+15/-15) x 173(+15/-15)	7.6	5G00000002718
G 2x4 AISI316	4	120 x 60	644 x 233 x 60	579(+15/-15) x 173(+15/-15)	9.5	5G00000006009
G 2x5 AISI316	5	120 x 60	774.5 x 233 x 60	710(+15/-15) x 173(+15/-15)	11.2	5G00000006032
G 2x6 AISI316	6	120 x 60	905 x 233 x 60	840(+15/-15) x 173(+15/-15)	13.3	5G00000009039
G 2x7 AISI316	7	120 x 60	1035.5 x 233 x 60	971(+15/-15) x 173(+15/-15)	15.5	5G00000012193
G 2x8 AISI316	8	120 x 60	1166 x 233 x 60	1101(+15/-15) x 173(+15/-15)	0	112590
G 2x9 AISI316	9	120 x 60	1296.5 x 233 x 60	1232(+15/-15) x 173(+15/-15)	0	112591
G 2x10 AISI316	10	120 x 60	1427 x 233 x 60	1362(+15/-15) x 173(+15/-15)	0	112592
G 2+2x1 AISI316	2	120 x 60	252.5 x 344 x 60	188(+15/-15) x 284(+15/-15)	5.2	5G00000008077
G 2+2x2 AISI316	4	120 x 60	383 x 346 x 60	318(+15/-15) x 284(+15/-15)	8.8	5G00000009685
G 2+2x3 AISI316	6	120 x 60	513.5 x 346 x 60	449(+15/-15) x 284(+15/-15)	11.9	5G00000009777
G 2+2x4 AISI316	8	120 x 60	644 x 346 x 60	579(+15/-15) x 284(+15/-15)	15	109953
G 2+2x5 AISI316	10	120 x 60	774.5 x 346 x 60	710(+15/-15) x 284(+15/-15)	0	112598
G 2+2x6 AISI316	12	120 x 60	905 x 346 x 60	840(+15/-15) x 284(+15/-15)	0	112599
G 2+2x7 AISI316	14	120 x 60	1035.5 x 346 x 60	971(+15/-15) x 284(+15/-15)	0	112600
G 2+2x8 AISI316	16	120 x 60	1166 x 346 x 60	1101(+15/-15) x 284(+15/-15)	0	112601
G 2+2x9 AISI316	18	120 x 60	1296.5 x 346 x 60	1232(+15/-15) x 284(+15/-15)	0	112602

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 2+2x10 AISI316	20	120 x 60	1427 x 346 x 60	1362(+15/-15) x 284(+15/-15)	0	112603
G 2+2+2x7 AISI316	21	120 x 60	1035.5 x 459 x 60	971(+15/-15) x 395(+15/-15)	0	112615
G 2+2+2x8 AISI316	24	120 x 60	1166 x 459 x 60	1101(+15/-15) x 395(+15/-15)	0	112616
G 2+2+2x9 AISI316	27	120 x 60	1296.5 x 459 x 60	1232(+15/-15) x 395(+15/-15)	0	112617
G 2+2+2x10 AISI316	30	120 x 60	1427 x 459 x 60	1362(+15/-15) x 395(+15/-15)	0	112618
G 2+2+2+2x1 AISI316	4	120 x 60	252.5 x 566 x 60	188(+15/-15) x 506(+15/-15)	0	112624
G 2+2+2+2x2 AISI316	8	120 x 60	383 x 572 x 60	318(+15/-15) x 506(+15/-15)	14.8	160702
G 2+2+2+2x3 AISI316	12	120 x 60	513.5 x 572 x 60	449(+15/-15) x 506(+15/-15)	20.4	160703
G 2+2+2+2x4 AISI316	16	120 x 60	644 x 572 x 60	579(+15/-15) x 506(+15/-15)	26	160704
G 2+2+2+2x5 AISI316	20	120 x 60	774.5 x 572 x 60	710(+15/-15) x 506(+15/-15)	31.6	160705
G 2+2+2+2x6 AISI316	24	120 x 60	905 x 572 x 60	840(+15/-15) x 506(+15/-15)	37.2	160706
G 2+2+2+2x7 AISI316	28	120 x 60	1035.5 x 572 x 60	971(+15/-15) x 506(+15/-15)	42.8	160707
G 2+2+2+2x8 AISI316	32	120 x 60	1166 x 572 x 60	1101(+15/-15) x 506(+15/-15)	48.4	160708
G 2+2+2+2x9 AISI316	36	120 x 60	1296.5 x 572 x 60	1232(+15/-15) x 506(+15/-15)	54	160709
G 2+2+2+2x10 AISI316	40	120 x 60	1427 x 572 x 60	1362(+15/-15) x 506(+15/-15)	59.6	160710
G 4x1 AISI316	1	120 x 120	252.5 x 291.5 x 60	188(+15/-15) x 232(+15/-15)	4.1	G004000000121
G 4x2 AISI316	2	120 x 120	383 x 291.5 x 60	318(+15/-15) x 232(+15/-15)	6.3	G004000000221
G 4x3 AISI316	3	120 x 120	513.5 x 291.5 x 60	449(+15/-15) x 232(+15/-15)	8.6	G004000000321
G 4x4 AISI316	4	120 x 120	644 x 291.5 x 60	579(+15/-15) x 232(+15/-15)	10.8	G004000000421
G 4x5 AISI316	5	120 x 120	774.5 x 291.5 x 60	710(+15/-15) x 232(+15/-15)	13.9	G004000000521
G 4x6 AISI316	6	120 x 120	905 x 291.5 x 60	840(+15/-15) x 232(+15/-15)	15.3	G004000000621
G 4x7 AISI316	7	120 x 120	1035.5 x 291.5 x 60	971(+15/-15) x 232(+15/-15)	17.6	G004000000721
G 4x8 AISI316	8	120 x 120	1166 x 291.5 x 60	1101(+15/-15) x 232(+15/-15)	19.8	G004000000821
G 4x9 AISI316	9	120 x 120	1296.5 x 291.5 x 60	1232(+15/-15) x 232(+15/-15)	0	106085
G 4x10 AISI316	10	120 x 120	1427 x 291.5 x 60	1362(+15/-15) x 232(+15/-15)	24.6	105085
G 4+4x1 AISI316	2	120 x 120	252.5 x 461 x 60	188(+15/-15) x 401(+15/-15)	6.8	5G00000000865
G 4+4x2 AISI316	4	120 x 120	383 x 463 x 60	318(+15/-15) x 401(+15/-15)	10.5	5G00000005843
G 4+4x3 AISI316	6	120 x 120	513.5 x 463 x 60	449(+15/-15) x 401(+15/-15)	14.2	5G00000001119
G 4+4x4 AISI316	8	120 x 120	644 x 463 x 60	579(+15/-15) x 401(+15/-15)	17.9	5G00000003243

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 4+4x5 AISI316	10	120 x 120	774.5 x 463 x 60	710(+15/-15) x 401(+15/-15)	22.2	5G00000007519
G 4+4x6 AISI316	12	120 x 120	905 x 463 x 60	840(+15/-15) x 401(+15/-15)	26.5	5G00000001801
G 4+4x7 AISI316	14	120 x 120	1035.5 x 463 x 60	971(+15/-15) x 401(+15/-15)	30.4	5G00000003156
G 4+4x8 AISI316	16	120 x 120	1166 x 463 x 60	1101(+15/-15) x 401(+15/-15)	33.9	5G00000002358
G 4+4x8 AISI316,	16	120 x 120	1166 x 463 x 60	1101(+15/-15) x 401(+15/-15)	32.7	5G00000003506
G 4+4x9 AISI316	18	120 x 120	1296.5 x 463 x 60	1232(+15/-15) x 401(+15/-15)	38.2	5G00000011825
G 4+4x10 AISI316	20	120 x 120	1427 x 463 x 60	1362(+15/-15) x 401(+15/-15)	41.6	5G00000011823
G 4+4+4x7 AISI316	21	120 x 120	1035.5 x 643.5 x 60	971(+15/-15) x 571(+15/-15)	40.5	160719
G 4+4+4x8 AISI316	24	120 x 120	1166 x 634.5 x 60	1101(+15/-15) x 571(+15/-15)	46.5	112640
G 4+4+4x9 AISI316	27	120 x 120	1296.5 x 634.5 x 60	1232(+15/-15) x 571(+15/-15)	0	112641
G 4+4+4x10 AISI316	30	120 x 120	1427 x 634.5 x 60	1362(+15/-15) x 571(+15/-15)	0	112642
G 4+4+4+4x1 AISI316	4	120 x 120	252.5 x 800 x 60	188(+15/-15) x 740(+15/-15)	0	112648
G 4+4+4+4x2 AISI316	8	120 x 120	383 x 806 x 60	318(+15/-15) x 740(+15/-15)	18.6	160720
G 4+4+4+4x3 AISI316	12	120 x 120	513.5 x 806 x 60	449(+15/-15) x 740(+15/-15)	25.3	160721
G 4+4+4+4x4 AISI316	16	120 x 120	644 x 806 x 60	579(+15/-15) x 740(+15/-15)	32	160722
G 4+4+4+4x5 AISI316	20	120 x 120	774.5 x 806 x 60	710(+15/-15) x 740(+15/-15)	38.7	160723
G 4+4+4+4x6 AISI316	24	120 x 120	905 x 806 x 60	840(+15/-15) x 740(+15/-15)	45.4	160724
G 4+4+4+4x7 AISI316	28	120 x 120	1035.5 x 806 x 60	971(+15/-15) x 740(+15/-15)	52.1	160725
G 4+4+4+4x8 AISI316	32	120 x 120	1166 x 806 x 60	1101(+15/-15) x 740(+15/-15)	58.7	117863
G 4+4+4+4x9 AISI316	36	120 x 120	1296.5 x 806 x 60	1232(+15/-15) x 740(+15/-15)	65.4	160726
G 4+4+4+4x10 AISI316	40	120 x 120	1427 x 806 x 60	1362(+15/-15) x 740(+15/-15)	72.1	160727
G 5x2 AISI316	2	60 x 180	263 x 350 x 60	188.5(+15/-15) x 290(+15/-15)	5.8	160728
G 5x3 AISI316	3	60 x 180	333.5 x 350 x 60	269(+15/-15) x 290(+15/-15)	7.7	160729
G 6x1 AISI316	1	120 x 180	252.5 x 350 x 60	188(+15/-15) x 290(+15/-15)	4.8	G006000000121
G 6x2 AISI316	2	120 x 180	383 x 350 x 60	318(+15/-15) x 290(+15/-15)	7.3	G006000000221
G 6x3 AISI316	3	120 x 180	513.5 x 350 x 60	449(+15/-15) x 290(+15/-15)	9.8	G006000000321
G 6x4 AISI316	4	120 x 180	644 x 350 x 60	579(+15/-15) x 290(+15/-15)	12.5	G006000000421
G 6x5 AISI316	5	120 x 180	774.5 x 350 x 60	710(+15/-15) x 290(+15/-15)	14.9	G006000000521
G 6x6 AISI316	6	120 x 180	905 x 350 x 60	840(+15/-15) x 290(+15/-15)	17.4	G006000000621

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 6x7 AISI316	7	120 x 180	1035.5 x 350 x 60	971(+15/-15) x 290(+15/-15)	19.9	G006000000721
G 6x8 AISI316	8	120 x 180	1166 x 350 x 60	1101(+15/-15) x 290(+15/-15)	22.4	G006000000821
G 6x9 AISI316	9	120 x 180	1296.5 x 350 x 60	1232(+15/-15) x 290(+15/-15)	25	G006000000921
G 6x10 AISI316	10	120 x 180	1427 x 350 x 60	1362(+15/-15) x 290(+15/-15)	27.5	G006000001021
G 6+6x1 AISI316	2	120 x 180	252.5 x 578 x 60	188(+15/-15) x 518(+15/-15)	8	5G00000001204
G 6+6x2 AISI316	4	120 x 180	383 x 580 x 60	318(+15/-15) x 518(+15/-15)	12.4	5G00000006098
G 6+6x3 AISI316	6	120 x 180	513.5 x 580 x 60	449(+15/-15) x 518(+15/-15)	16.6	5G00000000974
G 6+6x4 AISI316	8	120 x 180	644 x 580 x 60	579(+15/-15) x 518(+15/-15)	20.9	5G00000000463
G 6+6x5 AISI316	10	120 x 180	774.5 x 580 x 60	710(+15/-15) x 518(+15/-15)	25.2	5G00000000312
G 6+6x6 AISI316	12	120 x 180	905 x 580 x 60	840(+15/-15) x 518(+15/-15)	29.5	5G00000000260
G 6+6x7 AISI316	14	120 x 180	1035.5 x 580 x 60	971(+15/-15) x 518(+15/-15)	34.1	5G00000003272
G 6+6x8 AISI316	16	120 x 180	1166 x 580 x 60	1101(+15/-15) x 518(+15/-15)	38	5G00000002369
G 6+6x9 AISI316	18	120 x 180	1296.5 x 580 x 60	1232(+15/-15) x 518(+15/-15)	43.3	106061
G 6+6x10 AISI316	20	120 x 180	1427 x 580 x 60	1362(+15/-15) x 518(+15/-15)	46	108688
G 6+6+6x1 AISI316	3	120 x 180	252.5 x 806 x 60	188(+15/-15) x 746(+15/-15)	11.6	5G00000005738
G 6+6+6x4 AISI316	12	120 x 180	644 x 810 x 60	579(+15/-15) x 746(+15/-15)	29.5	5G00000007622
G 6+6+6x7 AISI316	21	120 x 180	1035.5 x 810 x 60	971(+15/-15) x 746(+15/-15)	47.7	5G00000007715
G 6+6+6x8 AISI316	24	120 x 180	1166 x 810 x 60	1101(+15/-15) x 746(+15/-15)	55	112660
G 6+6+6x9 AISI316	27	120 x 180	1296.5 x 810 x 60	1232(+15/-15) x 746(+15/-15)	60.5	104295
G 6+6+6x10 AISI316	30	120 x 180	1427 x 810 x 60	1362(+15/-15) x 746(+15/-15)	0	107692
G 6+6+6+6x1 AISI316	4	120 x 180	252.5 x 1034 x 60	188(+15/-15) x 974(+15/-15)	29	104246
G 6+6+6+6x2 AISI316	8	120 x 180	383 x 1040 x 60	318(+15/-15) x 974(+15/-15)	22.3	160736
G 6+6+6+6x3 AISI316	12	120 x 180	513.5 x 1040 x 60	449(+15/-15) x 974(+15/-15)	30.1	157808
G 6+6+6+6x4 AISI316	16	120 x 180	644 x 1040 x 60	579(+15/-15) x 974(+15/-15)	37.9	157807
G 6+6+6+6x5 AISI316	20	120 x 180	774.5 x 1040 x 60	710(+15/-15) x 974(+15/-15)	45.7	160737
G 6+6+6+6x6 AISI316	24	120 x 180	905 x 1040 x 60	840(+15/-15) x 974(+15/-15)	53.5	157806
G 6+6+6+6x7 AISI316	28	120 x 180	1035.5 x 1040 x 60	971(+15/-15) x 974(+15/-15)	61.3	107755
G 6+6+6+6x8 AISI316	32	120 x 180	1166 x 1040 x 60	1101(+15/-15) x 974(+15/-15)	69.1	157805
G 6+6+6+6x9 AISI316	36	120 x 180	1296.5 x 1040 x 60	1232(+15/-15) x 974(+15/-15)	76.9	160738
G 6+6+6+6x10 AISI316	40	120 x 180	1427 x 1040 x 60	1362(+15/-15) x 974(+15/-15)	84.7	160739

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 8x1 AISI316	1	120 x 240	252.5 x 410 x 60	188(+15/-15) x 350(+15/-15)	5.5	G008000000121
G 8x2 AISI316	2	120 x 240	383 x 410 x 60	318(+15/-15) x 350(+15/-15)	8.3	G008000000221
G 8x3 AISI316	3	120 x 240	513.5 x 410 x 60	449(+15/-15) x 350(+15/-15)	11.1	G008000000321
G 8x4 AISI316	4	120 x 240	644 x 410 x 60	579(+15/-15) x 350(+15/-15)	13.9	G008000000421
G 8x5 AISI316	5	120 x 240	774.5 x 410 x 60	710(+15/-15) x 350(+15/-15)	16.7	5G00000003370
G 8x6 AISI316	6	120 x 240	905 x 410 x 60	840(+15/-15) x 350(+15/-15)	19.5	5G00000004569
G 8x7 AISI316	7	120 x 240	1035.5 x 410 x 60	971(+15/-15) x 350(+15/-15)	22.3	5G00000004112
G 8x8 AISI316	8	120 x 240	1166 x 410 x 60	1101(+15/-15) x 350(+15/-15)	25.1	5G00000003477
G 8x9 AISI316	9	120 x 240	1296.5 x 410 x 60	1232(+15/-15) x 350(+15/-15)	27.9	5GE0000007391
G 8x10 AISI316	10	120 x 240	1427 x 410 x 60	1362(+15/-15) x 350(+15/-15)	31	G008000001021
G 8+8x1 AISI316	2	120 x 240	252.5 x 698 x 60	188(+15/-15) x 638(+15/-15)	8.3	5G00000001852
G 8+8x2 AISI316	4	120 x 240	383 x 700 x 60	318(+15/-15) x 638(+15/-15)	16	5G00000004296
G 8+8x3 AISI316	6	120 x 240	513.5 x 700 x 60	449(+15/-15) x 638(+15/-15)	19.2	5G00000003157
G 8+8x4 AISI316	8	120 x 240	644 x 700 x 60	579(+15/-15) x 638(+15/-15)	24	5G00000005383
G 8+8x5 AISI316	10	120 x 240	774.5 x 700 x 60	710(+15/-15) x 638(+15/-15)	28.9	5G00000006310
G 8+8x6 AISI316	12	120 x 240	905 x 700 x 60	840(+15/-15) x 638(+15/-15)	33.6	5G00000002370
G 8+8x7 AISI316	14	120 x 240	1035.5 x 700 x 60	971(+15/-15) x 638(+15/-15)	38.6	5G00000006311
G 8+8x8 AISI316	16	120 x 240	1166 x 700 x 60	1101(+15/-15) x 638(+15/-15)	40.6	5G00000006312
G 8+8x9 AISI316	18	120 x 240	1296.5 x 700 x 60	1232(+15/-15) x 638(+15/-15)	48.2	5G00000007491
G 8+8x10 AISI316	20	120 x 240	1427 x 700 x 60	1362(+15/-15) x 638(+15/-15)	53	5G00000008930
G 8+8+8x7 AISI316	21	120 x 240	1035.5 x 990 x 60	971(+15/-15) x 926(+15/-15)	55	5G00000008269
G 8+8+8x8 AISI316	24	120 x 240	1166 x 990 x 60	1101(+15/-15) x 926(+15/-15)	0	112674
G 8+8+8x9 AISI316	27	120 x 240	1296.5 x 990 x 60	1232(+15/-15) x 926(+15/-15)	0	112675
G 8+8+8x10 AISI316	30	120 x 240	1427 x 990 x 60	1362(+15/-15) x 926(+15/-15)	0	112676
G 8+8+8+8x1 AISI316	4	120 x 240	252.5 x 1274 x 60	188(+15/-15) x 1214(+15/-15)	15	5G00000007679
G 8+8+8+8x2 AISI316	8	120 x 240	383 x 1280 x 60	318(+15/-15) x 1214(+15/-15)	27.5	5G00000007678
G 8+8+8+8x3 AISI316	12	120 x 240	513.5 x 1280 x 60	449(+15/-15) x 1214(+15/-15)	33	104620
G 8+8+8+8x4 AISI316	16	120 x 240	644 x 1280 x 60	579(+15/-15) x 1214(+15/-15)	43	104123
G 8+8+8+8x5 AISI316	20	120 x 240	774.5 x 1280 x 60	710(+15/-15) x 1214(+15/-15)	53	108158

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 8+8+8+8x6 AISI316	24	120 x 240	905 x 1280 x 60	840(+15/-15) x 1214(+15/-15)	61.9	160748
G 8+8+8+8x7 AISI316	28	120 x 240	1035.5 x 1280 x 60	971(+15/-15) x 1214(+15/-15)	70.8	108159
G 8+8+8+8x8 AISI316	32	120 x 240	1166 x 1280 x 60	1101(+15/-15) x 1214(+15/-15)	79.7	160749
G 8+8+8+8x9 AISI316	36	120 x 240	1296.5 x 1280 x 60	1232(+15/-15) x 1214(+15/-15)	88.7	108202
G 8+8+8+8x10 AISI316	40	120 x 240	1427 x 1280 x 60	1362(+15/-15) x 1214(+15/-15)	97.6	160750