



Roxtec G frame

The Roxtec G frame is a metal frame with flange available with a single opening or in combinations with several openings in width and/or height.

- To be used with corresponding Roxtec components to form a complete sealing solution
- Attachment by casting or welding
- Casting mold accessory available
- GE extension frame accessory available



G 6x1 PRIMED



G 6x1 AISI316

Primed mild steel

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|----------------|----------------|--------------------|--------------------------------|------------------------------|-------------|---------------|
| G 2x1 PRIMED | 1 | 120 x 60 | 252.5 x 233 x 60 | 188(+15/-15) x 173(+15/-15) | 3.4 | G002000000112 |
| G 2x2 PRIMED | 2 | 120 x 60 | 383 x 233 x 60 | 318(+15/-15) x 173(+15/-15) | 5.4 | G002000000212 |
| G 2x3 PRIMED | 3 | 120 x 60 | 513.5 x 233 x 60 | 449(+15/-15) x 173(+15/-15) | 7.4 | G002000000312 |
| G 2x4 PRIMED | 4 | 120 x 60 | 644 x 233 x 60 | 579(+15/-15) x 173(+15/-15) | 9.3 | G002000000412 |
| G 2x5 PRIMED | 5 | 120 x 60 | 774.5 x 233 x 60 | 710(+15/-15) x 173(+15/-15) | 11.2 | 5G00000006930 |
| G 2x6 PRIMED | 6 | 120 x 60 | 905 x 233 x 60 | 840(+15/-15) x 173(+15/-15) | 13.7 | 5G00000004785 |
| G 2x7 PRIMED | 7 | 120 x 60 | 1035.5 x 233 x 60 | 971(+15/-15) x 173(+15/-15) | 0 | 5G00000004786 |
| G 2x8 PRIMED | 8 | 120 x 60 | 1166 x 233 x 60 | 1101(+15/-15) x 173(+15/-15) | 0 | 112503 |
| G 2x9 PRIMED | 9 | 120 x 60 | 1296.5 x 233 x 60 | 1232(+15/-15) x 173(+15/-15) | 16 | 112504 |
| G 2x10 PRIMED | 10 | 120 x 60 | 1427 x 233 x 60 | 1362(+15/-15) x 173(+15/-15) | 0 | 112505 |
| G 2+2x1 PRIMED | 2 | 120 x 60 | 252.5 x 344 x 60 | 188(+15/-15) x 284(+15/-15) | 5.4 | G002200000112 |
| G 2+2x2 PRIMED | 4 | 120 x 60 | 383 x 346 x 60 | 318(+15/-15) x 284(+15/-15) | 8.9 | 5G00000005011 |
| G 2+2x3 PRIMED | 6 | 120 x 60 | 513.5 x 346 x 60 | 449(+15/-15) x 284(+15/-15) | 11.6 | 5G00000013096 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|------------------------|----------------|--------------------|-----------------------------------|---------------------------------|-------------|---------------|
| G 2+2x4 PRIMED | 8 | 120 x 60 | 644 x 346 x 60 | 579(+15/-15) x 284(+15/-15) | 15.4 | 112511 |
| G 2+2x5 PRIMED | 10 | 120 x 60 | 774.5 x 346 x 60 | 710(+15/-15) x 284(+15/-15) | 0 | 112512 |
| G 2+2x6 PRIMED | 12 | 120 x 60 | 905 x 346 x 60 | 840(+15/-15) x 284(+15/-15) | 0 | 112513 |
| G 2+2x7 PRIMED | 14 | 120 x 60 | 1035.5 x 346 x 60 | 971(+15/-15) x 284(+15/-15) | 0 | 112514 |
| G 2+2x8 PRIMED | 16 | 120 x 60 | 1166 x 346 x 60 | 1101(+15/-15) x 284(+15/-15) | 0 | 112515 |
| G 2+2x9 PRIMED | 18 | 120 x 60 | 1296.5 x 346 x 60 | 1232(+15/-15) x 284(+15/-15) | 0 | 112516 |
| G 2+2x10 PRIMED | 20 | 120 x 60 | 1427 x 346 x 60 | 1362(+15/-15) x 284(+15/-15) | 0 | 112517 |
| G 2+2+2x7 PRIMED | 21 | 120 x 60 | 1035.5 x 459 x 60 | 971(+15/-15) x 395(+15/-15) | 0 | 112529 |
| G 2+2+2x8 PRIMED | 24 | 120 x 60 | 1166 x 459 x 60 | 1101(+15/-15) x 395(+15/-15) | 0 | 112530 |
| G 2+2+2x9 PRIMED | 27 | 120 x 60 | 1296.5 x 459 x 60 | 1232(+15/-15) x 395(+15/-15) | 0 | 112531 |
| G 2+2+2+2x1 PRIMED | 4 | 120 x 60 | 252.5 x 566 x 60 | 188(+15/-15) x 506(+15/-15) | 0 | 112538 |
| G 2+2+2+2x2 PRIMED | 8 | 120 x 60 | 383 x 572 x 60 | 318(+15/-15) x 506(+15/-15) | 14.8 | 160590 |
| G 2+2+2+2x3 PRIMED | 12 | 120 x 60 | 513.5 x 572 x 60 | 449(+15/-15) x 506(+15/-15) | 20.4 | 153572 |
| G 2+2+2+2x4 PRIMED | 16 | 120 x 60 | 644 x 572 x 60 | 579(+15/-15) x 506(+15/-15) | 26 | 160591 |
| G 2+2+2+2x5 PRIMED | 20 | 120 x 60 | 774.5 x 572 x 60 | 710(+15/-15) x 506(+15/-15) | 31.6 | 160592 |
| G 2+2+2+2x6 PRIMED | 24 | 120 x 60 | 905 x 572 x 60 | 840(+15/-15) x 506(+15/-15) | 37.2 | 160593 |
| G 2+2+2+2x7 PRIMED | 28 | 120 x 60 | 1035.5 x 572 x 60 | 971(+15/-15) x 506(+15/-15) | 42.8 | 160594 |
| G 2+2+2+2x8 PRIMED | 32 | 120 x 60 | 1166 x 572 x 60 | 1101(+15/-15) x 506(+15/-15) | 48.4 | 160595 |
| G 2+2+2+2x9 PRIMED | 36 | 120 x 60 | 1296.5 x 572 x 60 | 1232(+15/-15) x 506(+15/-15) | 54 | 160596 |
| G 2+2+2+2x10 PRIMED | 40 | 120 x 60 | 1427 x 572 x 60 | 1362(+15/-15) x 506(+15/-15) | 59.6 | 160597 |
| G 4x1 PRIMED | 1 | 120 x 120 | 252.5 x 291.5 x 60 | 188(+15/-15) x 232(+15/-15) | 3.8 | G004000000112 |
| G 4x2 PRIMED | 2 | 120 x 120 | 383 x 291.5 x 60 | 318(+15/-15) x 232(+15/-15) | 6.3 | G004000000212 |
| G 4x3 PRIMED | 3 | 120 x 120 | 513.5 x 291.5 x 60 | 449(+15/-15) x 232(+15/-15) | 8.8 | G004000000312 |
| G 4x4 PRIMED | 4 | 120 x 120 | 644 x 291.5 x 60 | 579(+15/-15) x 232(+15/-15) | 11.1 | G004000000412 |
| G 4x5 PRIMED | 5 | 120 x 120 | 774.5 x 291.5 x 60 | 710(+15/-15) x 232(+15/-15) | 13.1 | G004000000512 |
| G 4x6 PRIMED | 6 | 120 x 120 | 905 x 291.5 x 60 | 840(+15/-15) x 232(+15/-15) | 15.3 | G004000000612 |
| G 4x7 PRIMED | 7 | 120 x 120 | 1035.5 x 291.5 x 60 | 971(+15/-15) x 232(+15/-15) | 17.6 | G004000000712 |
| G 4x8 PRIMED | 8 | 120 x 120 | 1166 x 291.5 x 60 | 1101(+15/-15) x 232(+15/-15) | 19.8 | G004000000812 |
| G 4x9 PRIMED | 9 | 120 x 120 | 1296.5 x 291.5 x 60 | 1232(+15/-15) x 232(+15/-15) | 22.1 | G004000000912 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|------------------------|----------------|--------------------|-----------------------------------|---------------------------------|-------------|---------------|
| G 4x10 PRIMED | 10 | 120 x 120 | 1427 x 291.5 x 60 | 1362(+15/-15) x 232(+15/-15) | 24.3 | G004000001012 |
| G 4+4x1 PRIMED | 2 | 120 x 120 | 252.5 x 461 x 60 | 188(+15/-15) x 401(+15/-15) | 6.6 | G004400000112 |
| G 4+4x2 PRIMED | 4 | 120 x 120 | 383 x 463 x 60 | 318(+15/-15) x 401(+15/-15) | 10.5 | G004400000212 |
| G 4+4x3 PRIMED | 6 | 120 x 120 | 513.5 x 463 x 60 | 449(+15/-15) x 401(+15/-15) | 14.2 | G004400000312 |
| G 4+4x4 PRIMED | 8 | 120 x 120 | 644 x 463 x 60 | 579(+15/-15) x 401(+15/-15) | 17.9 | G004400000412 |
| G 4+4x5 PRIMED | 10 | 120 x 120 | 774.5 x 463 x 60 | 710(+15/-15) x 401(+15/-15) | 21.7 | G004400000512 |
| G 4+4x6 PRIMED | 12 | 120 x 120 | 905 x 463 x 60 | 840(+15/-15) x 401(+15/-15) | 25.4 | G004400000612 |
| G 4+4x7 PRIMED | 14 | 120 x 120 | 1035.5 x 463 x 60 | 971(+15/-15) x 401(+15/-15) | 29.2 | G004400000712 |
| G 4+4x8 PRIMED | 16 | 120 x 120 | 1166 x 463 x 60 | 1101(+15/-15) x 401(+15/-15) | 32.9 | G004400000812 |
| G 4+4x9 PRIMED | 18 | 120 x 120 | 1296.5 x 463 x 60 | 1232(+15/-15) x 401(+15/-15) | 36.6 | G004400000912 |
| G 4+4x10 PRIMED | 20 | 120 x 120 | 1427 x 463 x 60 | 1362(+15/-15) x 401(+15/-15) | 40.4 | G004400001012 |
| G 4+4+4x1 PRIMED | 3 | 120 x 120 | 252.5 x 630.5 x 60 | 188(+15/-15) x 571(+15/-15) | 9.1 | G004440000112 |
| G 4+4+4x7 PRIMED | 21 | 120 x 120 | 1035.5 x 634.5 x 60 | 971(+15/-15) x 571(+15/-15) | 0 | 5G00000003109 |
| G 4+4+4x8 PRIMED | 24 | 120 x 120 | 1166 x 634.5 x 60 | 1101(+15/-15) x 571(+15/-15) | 46.5 | 5G00000010977 |
| G 4+4+4x9 PRIMED | 27 | 120 x 120 | 1296.5 x 634.5 x 60 | 1232(+15/-15) x 571(+15/-15) | 0 | 112551 |
| G 4+4+4x10 PRIMED | 30 | 120 x 120 | 1427 x 634.5 x 60 | 1362(+15/-15) x 571(+15/-15) | 0 | 112552 |
| G 4+4+4+4x1 PRIMED | 4 | 120 x 120 | 252.5 x 800 x 60 | 188(+15/-15) x 740(+15/-15) | 0 | 5G00000000636 |
| G 4+4+4+4x2 PRIMED | 8 | 120 x 120 | 383 x 806 x 60 | 318(+15/-15) x 740(+15/-15) | 18.6 | 160605 |
| G 4+4+4+4x3 PRIMED | 12 | 120 x 120 | 513.5 x 806 x 60 | 449(+15/-15) x 740(+15/-15) | 25.3 | 105482 |
| G 4+4+4+4x4 PRIMED | 16 | 120 x 120 | 644 x 806 x 60 | 579(+15/-15) x 740(+15/-15) | 32 | 160606 |
| G 4+4+4+4x5 PRIMED | 20 | 120 x 120 | 774.5 x 806 x 60 | 710(+15/-15) x 740(+15/-15) | 38.7 | 160607 |
| G 4+4+4+4x7 PRIMED | 28 | 120 x 120 | 1035.5 x 806 x 60 | 971(+15/-15) x 740(+15/-15) | 52.1 | 160608 |
| G 4+4+4+4x8 PRIMED | 32 | 120 x 120 | 1166 x 806 x 60 | 1101(+15/-15) x 740(+15/-15) | 63.7 | 5G00000004839 |
| G 4+4+4+4x9 PRIMED | 36 | 120 x 120 | 1296.5 x 806 x 60 | 1232(+15/-15) x 740(+15/-15) | 65.4 | 160609 |
| G 4+4+4+4x10 PRIMED | 40 | 120 x 120 | 1427 x 806 x 60 | 1362(+15/-15) x 740(+15/-15) | 72.1 | 160610 |
| G 6x1 PRIMED | 1 | 120 x 180 | 252.5 x 350 x 60 | 188(+15/-15) x 290(+15/-15) | 4.4 | G006000000112 |
| G 6x2 PRIMED | 2 | 120 x 180 | 383 x 350 x 60 | 318(+15/-15) x 290(+15/-15) | 7.4 | G006000000212 |
| G 6x3 PRIMED | 3 | 120 x 180 | 513.5 x 350 x 60 | 449(+15/-15) x 290(+15/-15) | 9.8 | G006000000312 |
| G 6x4 PRIMED | 4 | 120 x 180 | 644 x 350 x 60 | 579(+15/-15) x 290(+15/-15) | 12.3 | G006000000412 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|-----------------------|----------------|--------------------|-----------------------------------|---------------------------------|-------------|---------------|
| G 6x5 PRIMED | 5 | 120 x 180 | 774.5 x 350 x 60 | 710(+15/-15) x 290(+15/-15) | 16.6 | G006000000512 |
| G 6x6 PRIMED | 6 | 120 x 180 | 905 x 350 x 60 | 840(+15/-15) x 290(+15/-15) | 17.4 | G006000000612 |
| G 6x7 PRIMED | 7 | 120 x 180 | 1035.5 x 350 x 60 | 971(+15/-15) x 290(+15/-15) | 19.9 | G006000000712 |
| G 6x8 PRIMED | 8 | 120 x 180 | 1166 x 350 x 60 | 1101(+15/-15) x 290(+15/-15) | 22.4 | G006000000812 |
| G 6x9 PRIMED | 9 | 120 x 180 | 1296.5 x 350 x 60 | 1232(+15/-15) x 290(+15/-15) | 25 | G006000000912 |
| G 6x10 PRIMED | 10 | 120 x 180 | 1427 x 350 x 60 | 1362(+15/-15) x 290(+15/-15) | 27.5 | G006000001012 |
| G 6+6x1 PRIMED | 2 | 120 x 180 | 252.5 x 578 x 60 | 188(+15/-15) x 518(+15/-15) | 8 | G006600000112 |
| G 6+6x2 PRIMED | 4 | 120 x 180 | 383 x 580 x 60 | 318(+15/-15) x 518(+15/-15) | 13.7 | G006600000212 |
| G 6+6x3 PRIMED | 6 | 120 x 180 | 513.5 x 580 x 60 | 449(+15/-15) x 518(+15/-15) | 19.3 | G006600000312 |
| G 6+6x4 PRIMED | 8 | 120 x 180 | 644 x 580 x 60 | 579(+15/-15) x 518(+15/-15) | 20.9 | G006600000412 |
| G 6+6x5 PRIMED | 10 | 120 x 180 | 774.5 x 580 x 60 | 710(+15/-15) x 518(+15/-15) | 25.2 | G006600000512 |
| G 6+6x6 PRIMED | 12 | 120 x 180 | 905 x 580 x 60 | 840(+15/-15) x 518(+15/-15) | 29.5 | G006600000612 |
| G 6+6x7 PRIMED | 14 | 120 x 180 | 1035.5 x 580 x 60 | 971(+15/-15) x 518(+15/-15) | 33.8 | G006600000712 |
| G 6+6x8 PRIMED | 16 | 120 x 180 | 1166 x 580 x 60 | 1101(+15/-15) x 518(+15/-15) | 38.1 | G006600000812 |
| G 6+6x9 PRIMED | 18 | 120 x 180 | 1296.5 x 580 x 60 | 1232(+15/-15) x 518(+15/-15) | 42.4 | G006600000912 |
| G 6+6x10 PRIMED | 20 | 120 x 180 | 1427 x 580 x 60 | 1362(+15/-15) x 518(+15/-15) | 46.7 | G006600001012 |
| G 6+6+6x1 PRIMED | 3 | 120 x 180 | 252.5 x 806 x 60 | 188(+15/-15) x 746(+15/-15) | 11.1 | G006660000112 |
| G 6+6+6x7 PRIMED | 21 | 120 x 180 | 1035.5 x 810 x 60 | 971(+15/-15) x 746(+15/-15) | 0 | 112568 |
| G 6+6+6x8 PRIMED | 24 | 120 x 180 | 1166 x 810 x 60 | 1101(+15/-15) x 746(+15/-15) | 0 | 5G00000004197 |
| G 6+6+6x9 PRIMED | 27 | 120 x 180 | 1296.5 x 810 x 60 | 1232(+15/-15) x 746(+15/-15) | 59.5 | 5G00000007082 |
| G 6+6+6x10 PRIMED | 30 | 120 x 180 | 1427 x 810 x 60 | 1362(+15/-15) x 746(+15/-15) | 0 | 5G00000008853 |
| G 6+6+6+6x1 PRIMED | 4 | 120 x 180 | 252.5 x 1034 x 60 | 188(+15/-15) x 974(+15/-15) | 15 | 5G00000002890 |
| G 6+6+6+6x2 PRIMED | 8 | 120 x 180 | 383 x 1040 x 60 | 318(+15/-15) x 974(+15/-15) | 22.3 | 160619 |
| G 6+6+6+6x3 PRIMED | 12 | 120 x 180 | 513.5 x 1040 x 60 | 449(+15/-15) x 974(+15/-15) | 30.1 | 160620 |
| G 6+6+6+6x4 PRIMED | 16 | 120 x 180 | 644 x 1040 x 60 | 579(+15/-15) x 974(+15/-15) | 37.9 | 160621 |
| G 6+6+6+6x5 PRIMED | 20 | 120 x 180 | 774.5 x 1040 x 60 | 710(+15/-15) x 974(+15/-15) | 45.7 | 160622 |
| G 6+6+6+6x6 PRIMED | 24 | 120 x 180 | 905 x 1040 x 60 | 840(+15/-15) x 974(+15/-15) | 53.5 | 156817 |
| G 6+6+6+6x7 PRIMED | 28 | 120 x 180 | 1035.5 x 1040 x 60 | 971(+15/-15) x 974(+15/-15) | 61.3 | 160623 |
| G 6+6+6+6x8 PRIMED | 32 | 120 x 180 | 1166 x 1040 x 60 | 1101(+15/-15) x 974(+15/-15) | 69.1 | 160624 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|------------------------|----------------|--------------------|-----------------------------------|---------------------------------|-------------|---------------|
| G 6+6+6+6x9 PRIMED | 36 | 120 x 180 | 1296.5 x 1040 x 60 | 1232(+15/-15) x 974(+15/-15) | 76.9 | 160625 |
| G 6+6+6+6x10 PRIMED | 40 | 120 x 180 | 1427 x 1040 x 60 | 1362(+15/-15) x 974(+15/-15) | 84.7 | 160626 |
| G 8x1 PRIMED | 1 | 120 x 240 | 252.5 x 410 x 60 | 188(+15/-15) x 350(+15/-15) | 5.2 | G008000000112 |
| G 8x2 PRIMED | 2 | 120 x 240 | 383 x 410 x 60 | 318(+15/-15) x 350(+15/-15) | 8.3 | G008000000212 |
| G 8x3 PRIMED | 3 | 120 x 240 | 513.5 x 410 x 60 | 449(+15/-15) x 350(+15/-15) | 11.1 | G008000000312 |
| G 8x4 PRIMED | 4 | 120 x 240 | 644 x 410 x 60 | 579(+15/-15) x 350(+15/-15) | 14 | G008000000412 |
| G 8x5 PRIMED | 5 | 120 x 240 | 774.5 x 410 x 60 | 710(+15/-15) x 350(+15/-15) | 16.7 | G008000000512 |
| G 8x6 PRIMED | 6 | 120 x 240 | 905 x 410 x 60 | 840(+15/-15) x 350(+15/-15) | 19.5 | G008000000612 |
| G 8x7 PRIMED | 7 | 120 x 240 | 1035.5 x 410 x 60 | 971(+15/-15) x 350(+15/-15) | 22.3 | 5G00000002067 |
| G 8x8 PRIMED | 8 | 120 x 240 | 1166 x 410 x 60 | 1101(+15/-15) x 350(+15/-15) | 25.1 | 5G00000005351 |
| G 8x9 PRIMED | 9 | 120 x 240 | 1296.5 x 410 x 60 | 1232(+15/-15) x 350(+15/-15) | 28.5 | 5G00000008494 |
| G 8x10 PRIMED | 10 | 120 x 240 | 1427 x 410 x 60 | 1362(+15/-15) x 350(+15/-15) | 30.7 | 5G00000000726 |
| G 8+8x1 PRIMED | 2 | 120 x 240 | 252.5 x 698 x 60 | 188(+15/-15) x 638(+15/-15) | 8.3 | 5G00000003170 |
| G 8+8x2 PRIMED | 4 | 120 x 240 | 383 x 700 x 60 | 318(+15/-15) x 638(+15/-15) | 16 | 5G00000003511 |
| G 8+8x3 PRIMED | 6 | 120 x 240 | 513.5 x 700 x 60 | 449(+15/-15) x 638(+15/-15) | 19.7 | 5G00000001337 |
| G 8+8x4 PRIMED | 8 | 120 x 240 | 644 x 700 x 60 | 579(+15/-15) x 638(+15/-15) | 24.5 | 5G00000002069 |
| G 8+8x5 PRIMED | 10 | 120 x 240 | 774.5 x 700 x 60 | 710(+15/-15) x 638(+15/-15) | 36.1 | 5G0000006239 |
| G 8+8x6 PRIMED | 12 | 120 x 240 | 905 x 700 x 60 | 840(+15/-15) x 638(+15/-15) | 33.2 | 5G00000002068 |
| G 8+8x7 PRIMED | 14 | 120 x 240 | 1035.5 x 700 x 60 | 971(+15/-15) x 638(+15/-15) | 49.1 | 5G0000006990 |
| G 8+8x8 PRIMED | 16 | 120 x 240 | 1166 x 700 x 60 | 1101(+15/-15) x 638(+15/-15) | 43.9 | 5G00000003074 |
| G 8+8x9 PRIMED | 18 | 120 x 240 | 1296.5 x 700 x 60 | 1232(+15/-15) x 638(+15/-15) | 49.5 | 5G00000009636 |
| G 8+8x10 PRIMED | 20 | 120 x 240 | 1427 x 700 x 60 | 1362(+15/-15) x 638(+15/-15) | 53 | 5G00000002809 |
| G 8+8+8x7 PRIMED | 21 | 120 x 240 | 1035.5 x 990 x 60 | 971(+15/-15) x 926(+15/-15) | 55 | 5G00000004437 |
| G 8+8+8x8 PRIMED | 24 | 120 x 240 | 1166 x 990 x 60 | 1101(+15/-15) x 926(+15/-15) | 0 | 112582 |
| G 8+8+8x9 PRIMED | 27 | 120 x 240 | 1296.5 x 990 x 60 | 1232(+15/-15) x 926(+15/-15) | 0 | 104995 |
| G 8+8+8x10 PRIMED | 30 | 120 x 240 | 1427 x 990 x 60 | 1362(+15/-15) x 926(+15/-15) | 0 | 104402 |
| G 8+8+8+8x1 PRIMED | 4 | 120 x 240 | 252.5 x 1274 x 60 | 188(+15/-15) x 1214(+15/-15) | 17.5 | 112587 |
| G 8+8+8+8x2 PRIMED | 8 | 120 x 240 | 383 x 1280 x 60 | 318(+15/-15) x 1214(+15/-15) | 26.2 | 160635 |
| G 8+8+8+8x3 PRIMED | 12 | 120 x 240 | 513.5 x 1280 x 60 | 449(+15/-15) x 1214(+15/-15) | 35.1 | 160636 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|------------------------|----------------|--------------------|-----------------------------------|----------------------------------|-------------|---------|
| G 8+8+8+8x4 PRIMED | 16 | 120 x 240 | 644 x 1280 x 60 | 579(+15/-15) x 1214(+15/-15) | 44 | 124555 |
| G 8+8+8+8x5 PRIMED | 20 | 120 x 240 | 774.5 x 1280 x 60 | 710(+15/-15) x 1214(+15/-15) | 53 | 160637 |
| G 8+8+8+8x6 PRIMED | 24 | 120 x 240 | 905 x 1280 x 60 | 840(+15/-15) x 1214(+15/-15) | 61.9 | 160638 |
| G 8+8+8+8x7 PRIMED | 28 | 120 x 240 | 1035.5 x 1280 x 60 | 971(+15/-15) x 1214(+15/-15) | 70.8 | 160639 |
| G 8+8+8+8x8 PRIMED | 32 | 120 x 240 | 1166 x 1280 x 60 | 1101(+15/-15) x 1214(+15/-15) | 79.7 | 160640 |
| G 8+8+8+8x9 PRIMED | 36 | 120 x 240 | 1296.5 x 1280 x 60 | 1232(+15/-15) x 1214(+15/-15) | 88.7 | 160641 |
| G 8+8+8+8x10 PRIMED | 40 | 120 x 240 | 1427 x 1280 x 60 | 1362(+15/-15) x 1214(+15/-15) | 97.6 | 160642 |

Stainless steel

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|-----------------|----------------|--------------------|-----------------------------------|---------------------------------|-------------|---------------|
| G 2x1 AISI316 | 1 | 120 x 60 | 252.5 x 233 x 60 | 147.5(+5/-5) x 128(+5/-5) | 3.4 | G002000000121 |
| G 2x2 AISI316 | 2 | 120 x 60 | 383 x 233 x 60 | 318(+15/-15) x 173(+15/-15) | 5.5 | 5G00000000072 |
| G 2x3 AISI316 | 3 | 120 x 60 | 513.5 x 233 x 60 | 449(+15/-15) x 173(+15/-15) | 7.6 | 5G00000002718 |
| G 2x4 AISI316 | 4 | 120 x 60 | 644 x 233 x 60 | 579(+15/-15) x 173(+15/-15) | 9.5 | 5G00000006009 |
| G 2x5 AISI316 | 5 | 120 x 60 | 774.5 x 233 x 60 | 710(+15/-15) x 173(+15/-15) | 11.2 | 5G00000006032 |
| G 2x6 AISI316 | 6 | 120 x 60 | 905 x 233 x 60 | 840(+15/-15) x 173(+15/-15) | 13.3 | 5G00000009039 |
| G 2x7 AISI316 | 7 | 120 x 60 | 1035.5 x 233 x 60 | 971(+15/-15) x 173(+15/-15) | 15.5 | 5G00000012193 |
| G 2x8 AISI316 | 8 | 120 x 60 | 1166 x 233 x 60 | 1101(+15/-15) x 173(+15/-15) | 0 | 112590 |
| G 2x9 AISI316 | 9 | 120 x 60 | 1296.5 x 233 x 60 | 1232(+15/-15) x 173(+15/-15) | 0 | 112591 |
| G 2x10 AISI316 | 10 | 120 x 60 | 1427 x 233 x 60 | 1362(+15/-15) x 173(+15/-15) | 0 | 112592 |
| G 2+2x1 AISI316 | 2 | 120 x 60 | 252.5 x 344 x 60 | 188(+15/-15) x 284(+15/-15) | 5.2 | 5G00000008077 |
| G 2+2x2 AISI316 | 4 | 120 x 60 | 383 x 346 x 60 | 318(+15/-15) x 284(+15/-15) | 8.8 | 5G00000009685 |
| G 2+2x3 AISI316 | 6 | 120 x 60 | 513.5 x 346 x 60 | 449(+15/-15) x 284(+15/-15) | 11.9 | 5G00000009777 |
| G 2+2x4 AISI316 | 8 | 120 x 60 | 644 x 346 x 60 | 579(+15/-15) x 284(+15/-15) | 15 | 109953 |
| G 2+2x5 AISI316 | 10 | 120 x 60 | 774.5 x 346 x 60 | 710(+15/-15) x 284(+15/-15) | 0 | 112598 |
| G 2+2x6 AISI316 | 12 | 120 x 60 | 905 x 346 x 60 | 840(+15/-15) x 284(+15/-15) | 0 | 112599 |
| G 2+2x7 AISI316 | 14 | 120 x 60 | 1035.5 x 346 x 60 | 971(+15/-15) x 284(+15/-15) | 0 | 112600 |
| G 2+2x8 AISI316 | 16 | 120 x 60 | 1166 x 346 x 60 | 1101(+15/-15) x 284(+15/-15) | 0 | 112601 |
| G 2+2x9 AISI316 | 18 | 120 x 60 | 1296.5 x 346 x 60 | 1232(+15/-15) x 284(+15/-15) | 0 | 112602 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|-------------------------|----------------|--------------------|-----------------------------------|---------------------------------|-------------|---------------|
| G 2+2x10 AISI316 | 20 | 120 x 60 | 1427 x 346 x 60 | 1362(+15/-15) x 284(+15/-15) | 0 | 112603 |
| G 2+2+2x7 AISI316 | 21 | 120 x 60 | 1035.5 x 459 x 60 | 971(+15/-15) x 395(+15/-15) | 0 | 112615 |
| G 2+2+2x8 AISI316 | 24 | 120 x 60 | 1166 x 459 x 60 | 1101(+15/-15) x 395(+15/-15) | 0 | 112616 |
| G 2+2+2x9 AISI316 | 27 | 120 x 60 | 1296.5 x 459 x 60 | 1232(+15/-15) x 395(+15/-15) | 0 | 112617 |
| G 2+2+2x10 AISI316 | 30 | 120 x 60 | 1427 x 459 x 60 | 1362(+15/-15) x 395(+15/-15) | 0 | 112618 |
| G 2+2+2+2x1 AISI316 | 4 | 120 x 60 | 252.5 x 566 x 60 | 188(+15/-15) x 506(+15/-15) | 0 | 112624 |
| G 2+2+2+2x2 AISI316 | 8 | 120 x 60 | 383 x 572 x 60 | 318(+15/-15) x 506(+15/-15) | 14.8 | 160702 |
| G 2+2+2+2x3 AISI316 | 12 | 120 x 60 | 513.5 x 572 x 60 | 449(+15/-15) x 506(+15/-15) | 20.4 | 160703 |
| G 2+2+2+2x4 AISI316 | 16 | 120 x 60 | 644 x 572 x 60 | 579(+15/-15) x 506(+15/-15) | 26 | 160704 |
| G 2+2+2+2x5 AISI316 | 20 | 120 x 60 | 774.5 x 572 x 60 | 710(+15/-15) x 506(+15/-15) | 31.6 | 160705 |
| G 2+2+2+2x6 AISI316 | 24 | 120 x 60 | 905 x 572 x 60 | 840(+15/-15) x 506(+15/-15) | 37.2 | 160706 |
| G 2+2+2+2x7 AISI316 | 28 | 120 x 60 | 1035.5 x 572 x 60 | 971(+15/-15) x 506(+15/-15) | 42.8 | 160707 |
| G 2+2+2+2x8 AISI316 | 32 | 120 x 60 | 1166 x 572 x 60 | 1101(+15/-15) x 506(+15/-15) | 48.4 | 160708 |
| G 2+2+2+2x9 AISI316 | 36 | 120 x 60 | 1296.5 x 572 x 60 | 1232(+15/-15) x 506(+15/-15) | 54 | 160709 |
| G 2+2+2+2x10 AISI316 | 40 | 120 x 60 | 1427 x 572 x 60 | 1362(+15/-15) x 506(+15/-15) | 59.6 | 160710 |
| G 4x1 AISI316 | 1 | 120 x 120 | 252.5 x 291.5 x 60 | 188(+15/-15) x 232(+15/-15) | 4.1 | G004000000121 |
| G 4x2 AISI316 | 2 | 120 x 120 | 383 x 291.5 x 60 | 318(+15/-15) x 232(+15/-15) | 6.3 | G004000000221 |
| G 4x3 AISI316 | 3 | 120 x 120 | 513.5 x 291.5 x 60 | 449(+15/-15) x 232(+15/-15) | 8.6 | G004000000321 |
| G 4x4 AISI316 | 4 | 120 x 120 | 644 x 291.5 x 60 | 579(+15/-15) x 232(+15/-15) | 10.8 | G004000000421 |
| G 4x5 AISI316 | 5 | 120 x 120 | 774.5 x 291.5 x 60 | 710(+15/-15) x 232(+15/-15) | 13.9 | G004000000521 |
| G 4x6 AISI316 | 6 | 120 x 120 | 905 x 291.5 x 60 | 840(+15/-15) x 232(+15/-15) | 15.3 | G004000000621 |
| G 4x7 AISI316 | 7 | 120 x 120 | 1035.5 x 291.5 x 60 | 971(+15/-15) x 232(+15/-15) | 17.6 | G004000000721 |
| G 4x8 AISI316 | 8 | 120 x 120 | 1166 x 291.5 x 60 | 1101(+15/-15) x 232(+15/-15) | 19.8 | G004000000821 |
| G 4x9 AISI316 | 9 | 120 x 120 | 1296.5 x 291.5 x 60 | 1232(+15/-15) x 232(+15/-15) | 0 | 106085 |
| G 4x10 AISI316 | 10 | 120 x 120 | 1427 x 291.5 x 60 | 1362(+15/-15) x 232(+15/-15) | 24.6 | 105085 |
| G 4+4x1 AISI316 | 2 | 120 x 120 | 252.5 x 461 x 60 | 188(+15/-15) x 401(+15/-15) | 6.8 | 5G00000000865 |
| G 4+4x2 AISI316 | 4 | 120 x 120 | 383 x 463 x 60 | 318(+15/-15) x 401(+15/-15) | 10.5 | 5G00000005843 |
| G 4+4x3 AISI316 | 6 | 120 x 120 | 513.5 x 463 x 60 | 449(+15/-15) x 401(+15/-15) | 14.2 | 5G00000001119 |
| G 4+4x4 AISI316 | 8 | 120 x 120 | 644 x 463 x 60 | 579(+15/-15) x 401(+15/-15) | 17.9 | 5G00000003243 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|-------------------------|----------------|--------------------|-----------------------------------|----------------------------------|-------------|---------------|
| G 4+4x5 AISI316 | 10 | 120 x 120 | 774.5 x 463 x 60 | 710(+15/-15) x 401(+15/-15) | 22.2 | 5G00000007519 |
| G 4+4x6 AISI316 | 12 | 120 x 120 | 905 x 463 x 60 | 840(+15/-15) x 401(+15/-15) | 26.5 | 5G00000001801 |
| G 4+4x7 AISI316 | 14 | 120 x 120 | 1035.5 x 463 x 60 | 971(+15/-15) x 401(+15/-15) | 30.4 | 5G00000003156 |
| G 4+4x8 AISI316 | 16 | 120 x 120 | 1166 x 463 x 60 | 1101(+15/-15) x 401(+15/-15) | 33.9 | 5G00000002358 |
| G 4+4x8 AISI316, | 16 | 120 x 120 | 1166 x 463 x 60 | 1101(+15/-15) x 401(+15/-15) | 32.7 | 5G00000003506 |
| G 4+4x9 AISI316 | 18 | 120 x 120 | 1296.5 x 463 x 60 | 1232(+15/-15) x 401(+15/-15) | 38.2 | 5G00000011825 |
| G 4+4x10 AISI316 | 20 | 120 x 120 | 1427 x 463 x 60 | 1362(+15/-15) x 401(+15/-15) | 41.6 | 5G00000011823 |
| G 4+4+4x7 AISI316 | 21 | 120 x 120 | 1035.5 x 643.5 x 60 | 971(+15/-15) x 571(+15/-15) | 40.5 | 160719 |
| G 4+4+4x8 AISI316 | 24 | 120 x 120 | 1166 x 634.5 x 60 | 1101(+15/-15) x 571(+15/-15) | 46.5 | 112640 |
| G 4+4+4x9 AISI316 | 27 | 120 x 120 | 1296.5 x 634.5 x 60 | 1232(+15/-15) x 571(+15/-15) | 0 | 112641 |
| G 4+4+4x10 AISI316 | 30 | 120 x 120 | 1427 x 634.5 x 60 | 1362(+15/-15) x 571(+15/-15) | 0 | 112642 |
| G 4+4+4+4x1 AISI316 | 4 | 120 x 120 | 252.5 x 800 x 60 | 188(+15/-15) x 740(+15/-15) | 0 | 112648 |
| G 4+4+4+4x2 AISI316 | 8 | 120 x 120 | 383 x 806 x 60 | 318(+15/-15) x 740(+15/-15) | 18.6 | 160720 |
| G 4+4+4+4x3 AISI316 | 12 | 120 x 120 | 513.5 x 806 x 60 | 449(+15/-15) x 740(+15/-15) | 25.3 | 160721 |
| G 4+4+4+4x4 AISI316 | 16 | 120 x 120 | 644 x 806 x 60 | 579(+15/-15) x 740(+15/-15) | 32 | 160722 |
| G 4+4+4+4x5 AISI316 | 20 | 120 x 120 | 774.5 x 806 x 60 | 710(+15/-15) x 740(+15/-15) | 38.7 | 160723 |
| G 4+4+4+4x6 AISI316 | 24 | 120 x 120 | 905 x 806 x 60 | 840(+15/-15) x 740(+15/-15) | 45.4 | 160724 |
| G 4+4+4+4x7 AISI316 | 28 | 120 x 120 | 1035.5 x 806 x 60 | 971(+15/-15) x 740(+15/-15) | 52.1 | 160725 |
| G 4+4+4+4x8 AISI316 | 32 | 120 x 120 | 1166 x 806 x 60 | 1101(+15/-15) x 740(+15/-15) | 58.7 | 117863 |
| G 4+4+4+4x9 AISI316 | 36 | 120 x 120 | 1296.5 x 806 x 60 | 1232(+15/-15) x 740(+15/-15) | 65.4 | 160726 |
| G 4+4+4+4x10 AISI316 | 40 | 120 x 120 | 1427 x 806 x 60 | 1362(+15/-15) x 740(+15/-15) | 72.1 | 160727 |
| G 5x2 AISI316 | 2 | 60 x 180 | 263 x 350 x 60 | 188.5(+15/-15) x 290(+15/-15) | 5.8 | 160728 |
| G 5x3 AISI316 | 3 | 60 x 180 | 333.5 x 350 x 60 | 269(+15/-15) x 290(+15/-15) | 7.7 | 160729 |
| G 6x1 AISI316 | 1 | 120 x 180 | 252.5 x 350 x 60 | 188(+15/-15) x 290(+15/-15) | 4.8 | G006000000121 |
| G 6x2 AISI316 | 2 | 120 x 180 | 383 x 350 x 60 | 318(+15/-15) x 290(+15/-15) | 7.3 | G006000000221 |
| G 6x3 AISI316 | 3 | 120 x 180 | 513.5 x 350 x 60 | 449(+15/-15) x 290(+15/-15) | 9.8 | G006000000321 |
| G 6x4 AISI316 | 4 | 120 x 180 | 644 x 350 x 60 | 579(+15/-15) x 290(+15/-15) | 12.5 | G006000000421 |
| G 6x5 AISI316 | 5 | 120 x 180 | 774.5 x 350 x 60 | 710(+15/-15) x 290(+15/-15) | 14.9 | G006000000521 |
| G 6x6 AISI316 | 6 | 120 x 180 | 905 x 350 x 60 | 840(+15/-15) x 290(+15/-15) | 17.4 | G006000000621 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|----------------------|----------------|--------------------|-----------------------------------|---------------------------------|-------------|---------------|
| G 6x7 AISI316 | 7 | 120 x 180 | 1035.5 x 350 x 60 | 971(+15/-15) x 290(+15/-15) | 19.9 | G006000000721 |
| G 6x8 AISI316 | 8 | 120 x 180 | 1166 x 350 x 60 | 1101(+15/-15) x 290(+15/-15) | 22.4 | G006000000821 |
| G 6x9 AISI316 | 9 | 120 x 180 | 1296.5 x 350 x 60 | 1232(+15/-15) x 290(+15/-15) | 25 | G006000000921 |
| G 6x10 AISI316 | 10 | 120 x 180 | 1427 x 350 x 60 | 1362(+15/-15) x 290(+15/-15) | 27.5 | G006000001021 |
| G 6+6x1 AISI316 | 2 | 120 x 180 | 252.5 x 578 x 60 | 188(+15/-15) x 518(+15/-15) | 8 | 5G00000001204 |
| G 6+6x2 AISI316 | 4 | 120 x 180 | 383 x 580 x 60 | 318(+15/-15) x 518(+15/-15) | 12.4 | 5G00000006098 |
| G 6+6x3 AISI316 | 6 | 120 x 180 | 513.5 x 580 x 60 | 449(+15/-15) x 518(+15/-15) | 16.6 | 5G00000000974 |
| G 6+6x4 AISI316 | 8 | 120 x 180 | 644 x 580 x 60 | 579(+15/-15) x 518(+15/-15) | 20.9 | 5G00000000463 |
| G 6+6x5 AISI316 | 10 | 120 x 180 | 774.5 x 580 x 60 | 710(+15/-15) x 518(+15/-15) | 25.2 | 5G00000000312 |
| G 6+6x6 AISI316 | 12 | 120 x 180 | 905 x 580 x 60 | 840(+15/-15) x 518(+15/-15) | 29.5 | 5G00000000260 |
| G 6+6x7 AISI316 | 14 | 120 x 180 | 1035.5 x 580 x 60 | 971(+15/-15) x 518(+15/-15) | 34.1 | 5G00000003272 |
| G 6+6x8 AISI316 | 16 | 120 x 180 | 1166 x 580 x 60 | 1101(+15/-15) x 518(+15/-15) | 38 | 5G00000002369 |
| G 6+6x9 AISI316 | 18 | 120 x 180 | 1296.5 x 580 x 60 | 1232(+15/-15) x 518(+15/-15) | 43.3 | 106061 |
| G 6+6x10 AISI316 | 20 | 120 x 180 | 1427 x 580 x 60 | 1362(+15/-15) x 518(+15/-15) | 46 | 108688 |
| G 6+6+6x1 AISI316 | 3 | 120 x 180 | 252.5 x 806 x 60 | 188(+15/-15) x 746(+15/-15) | 11.6 | 5G00000005738 |
| G 6+6+6x7 AISI316 | 21 | 120 x 180 | 1035.5 x 810 x 60 | 971(+15/-15) x 746(+15/-15) | 47.7 | 5G00000007715 |
| G 6+6+6x8 AISI316 | 24 | 120 x 180 | 1166 x 810 x 60 | 1101(+15/-15) x 746(+15/-15) | 55 | 112660 |
| G 6+6+6x9 AISI316 | 27 | 120 x 180 | 1296.5 x 810 x 60 | 1232(+15/-15) x 746(+15/-15) | 60.5 | 104295 |
| G 6+6+6x10 AISI316 | 30 | 120 x 180 | 1427 x 810 x 60 | 1362(+15/-15) x 746(+15/-15) | 0 | 107692 |
| G 6+6+6+6x1 AISI316 | 4 | 120 x 180 | 252.5 x 1034 x 60 | 188(+15/-15) x 974(+15/-15) | 29 | 104246 |
| G 6+6+6+6x2 AISI316 | 8 | 120 x 180 | 383 x 1040 x 60 | 318(+15/-15) x 974(+15/-15) | 22.3 | 160736 |
| G 6+6+6+6x3 AISI316 | 12 | 120 x 180 | 513.5 x 1040 x 60 | 449(+15/-15) x 974(+15/-15) | 30.1 | 157808 |
| G 6+6+6+6x4 AISI316 | 16 | 120 x 180 | 644 x 1040 x 60 | 579(+15/-15) x 974(+15/-15) | 37.9 | 157807 |
| G 6+6+6+6x5 AISI316 | 20 | 120 x 180 | 774.5 x 1040 x 60 | 710(+15/-15) x 974(+15/-15) | 45.7 | 160737 |
| G 6+6+6+6x6 AISI316 | 24 | 120 x 180 | 905 x 1040 x 60 | 840(+15/-15) x 974(+15/-15) | 53.5 | 157806 |
| G 6+6+6+6x7 AISI316 | 28 | 120 x 180 | 1035.5 x 1040 x 60 | 971(+15/-15) x 974(+15/-15) | 61.3 | 107755 |
| G 6+6+6+6x8 AISI316 | 32 | 120 x 180 | 1166 x 1040 x 60 | 1101(+15/-15) x 974(+15/-15) | 69.1 | 157805 |
| G 6+6+6+6x9 AISI316 | 36 | 120 x 180 | 1296.5 x 1040 x 60 | 1232(+15/-15) x 974(+15/-15) | 76.9 | 160738 |
| G 6+6+6+6x10 AISI316 | 40 | 120 x 180 | 1427 x 1040 x 60 | 1362(+15/-15) x 974(+15/-15) | 84.7 | 160739 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|---------------------|----------------|--------------------|-----------------------------------|---------------------------------|-------------|---------------|
| G 8x1 AISI316 | 1 | 120 x 240 | 252.5 x 410 x 60 | 188(+15/-15) x 350(+15/-15) | 5.5 | G008000000121 |
| G 8x2 AISI316 | 2 | 120 x 240 | 383 x 410 x 60 | 318(+15/-15) x 350(+15/-15) | 8.3 | G008000000221 |
| G 8x3 AISI316 | 3 | 120 x 240 | 513.5 x 410 x 60 | 449(+15/-15) x 350(+15/-15) | 11.1 | G008000000321 |
| G 8x4 AISI316 | 4 | 120 x 240 | 644 x 410 x 60 | 579(+15/-15) x 350(+15/-15) | 13.9 | G008000000421 |
| G 8x5 AISI316 | 5 | 120 x 240 | 774.5 x 410 x 60 | 710(+15/-15) x 350(+15/-15) | 16.7 | 5G00000003370 |
| G 8x6 AISI316 | 6 | 120 x 240 | 905 x 410 x 60 | 840(+15/-15) x 350(+15/-15) | 19.5 | 5G00000004569 |
| G 8x7 AISI316 | 7 | 120 x 240 | 1035.5 x 410 x 60 | 971(+15/-15) x 350(+15/-15) | 22.3 | 5G00000004112 |
| G 8x8 AISI316 | 8 | 120 x 240 | 1166 x 410 x 60 | 1101(+15/-15) x 350(+15/-15) | 25.1 | 5G00000003477 |
| G 8x9 AISI316 | 9 | 120 x 240 | 1296.5 x 410 x 60 | 1232(+15/-15) x 350(+15/-15) | 27.9 | 5GE0000007391 |
| G 8x10 AISI316 | 10 | 120 x 240 | 1427 x 410 x 60 | 1362(+15/-15) x 350(+15/-15) | 31 | G008000001021 |
| G 8+8x1 AISI316 | 2 | 120 x 240 | 252.5 x 698 x 60 | 188(+15/-15) x 638(+15/-15) | 8.3 | 5G00000001852 |
| G 8+8x2 AISI316 | 4 | 120 x 240 | 383 x 700 x 60 | 318(+15/-15) x 638(+15/-15) | 16 | 5G00000004296 |
| G 8+8x3 AISI316 | 6 | 120 x 240 | 513.5 x 700 x 60 | 449(+15/-15) x 638(+15/-15) | 19.2 | 5G00000003157 |
| G 8+8x4 AISI316 | 8 | 120 x 240 | 644 x 700 x 60 | 579(+15/-15) x 638(+15/-15) | 24 | 5G00000005383 |
| G 8+8x5 AISI316 | 10 | 120 x 240 | 774.5 x 700 x 60 | 710(+15/-15) x 638(+15/-15) | 28.9 | 5G00000006310 |
| G 8+8x6 AISI316 | 12 | 120 x 240 | 905 x 700 x 60 | 840(+15/-15) x 638(+15/-15) | 33.6 | 5G00000002370 |
| G 8+8x7 AISI316 | 14 | 120 x 240 | 1035.5 x 700 x 60 | 971(+15/-15) x 638(+15/-15) | 38.6 | 5G00000006311 |
| G 8+8x8 AISI316 | 16 | 120 x 240 | 1166 x 700 x 60 | 1101(+15/-15) x 638(+15/-15) | 40.6 | 5G00000006312 |
| G 8+8x9 AISI316 | 18 | 120 x 240 | 1296.5 x 700 x 60 | 1232(+15/-15) x 638(+15/-15) | 48.2 | 5G00000007491 |
| G 8+8x10 AISI316 | 20 | 120 x 240 | 1427 x 700 x 60 | 1362(+15/-15) x 638(+15/-15) | 53 | 5G00000008930 |
| G 8+8+8x7 AISI316 | 21 | 120 x 240 | 1035.5 x 990 x 60 | 971(+15/-15) x 926(+15/-15) | 55 | 5G00000008269 |
| G 8+8+8x8 AISI316 | 24 | 120 x 240 | 1166 x 990 x 60 | 1101(+15/-15) x 926(+15/-15) | 0 | 112674 |
| G 8+8+8x9 AISI316 | 27 | 120 x 240 | 1296.5 x 990 x 60 | 1232(+15/-15) x 926(+15/-15) | 0 | 112675 |
| G 8+8+8x10 AISI316 | 30 | 120 x 240 | 1427 x 990 x 60 | 1362(+15/-15) x 926(+15/-15) | 0 | 112676 |
| G 8+8+8+8x1 AISI316 | 4 | 120 x 240 | 252.5 x 1274 x 60 | 188(+15/-15) x 1214(+15/-15) | 15 | 5G00000007679 |
| G 8+8+8+8x2 AISI316 | 8 | 120 x 240 | 383 x 1280 x 60 | 318(+15/-15) x 1214(+15/-15) | 27.5 | 5G00000007678 |
| G 8+8+8+8x3 AISI316 | 12 | 120 x 240 | 513.5 x 1280 x 60 | 449(+15/-15) x 1214(+15/-15) | 33 | 104620 |
| G 8+8+8+8x4 AISI316 | 16 | 120 x 240 | 644 x 1280 x 60 | 579(+15/-15) x 1214(+15/-15) | 43 | 104123 |
| G 8+8+8+8x5 AISI316 | 20 | 120 x 240 | 774.5 x 1280 x 60 | 710(+15/-15) x 1214(+15/-15) | 53 | 108158 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxH (mm) | Weight (kg) | Art. No |
|-------------------------|----------------|--------------------|-----------------------------------|----------------------------------|-------------|---------|
| G 8+8+8+8x6 AISI316 | 24 | 120 x 240 | 905 x 1280 x 60 | 840(+15/-15) x 1214(+15/-15) | 61.9 | 160748 |
| G 8+8+8+8x7 AISI316 | 28 | 120 x 240 | 1035.5 x 1280 x 60 | 971(+15/-15) x 1214(+15/-15) | 70.8 | 108159 |
| G 8+8+8+8x8 AISI316 | 32 | 120 x 240 | 1166 x 1280 x 60 | 1101(+15/-15) x 1214(+15/-15) | 79.7 | 160749 |
| G 8+8+8+8x9 AISI316 | 36 | 120 x 240 | 1296.5 x 1280 x 60 | 1232(+15/-15) x 1214(+15/-15) | 88.7 | 108202 |
| G 8+8+8+8x10 AISI316 | 40 | 120 x 240 | 1427 x 1280 x 60 | 1362(+15/-15) x 1214(+15/-15) | 97.6 | 160750 |