


FLOODLIGHT PERFORMANCE




	EAN	l x w x h [mm]	W	V _{AC}	Hz	lm	lm/W	K
FL PFM DA 50W 3000K ASYM 55X110 BK	4058075760523	314 x 240 x 63	50	220-240V	50/60 Hz	5800	116	3000
FL PFM DA 50W 4000K ASYM 55X110 BK	4058075760530	314 x 240 x 63	50	220-240V	50/60 Hz	6300	126	4000
FL PFM DA 100W 3000K ASYM 55X110 BK	4058075760547	418 x 330 x 77	100	220-240V	50/60 Hz	11900	119	3000
FL PFM DA 100W 4000K ASYM 55X110 BK	4058075760554	418 x 330 x 77	100	220-240V	50/60 Hz	12900	129	4000
FL PFM DA 150W 3000K ASYM 55X110 BK	4058075760561	451 x 330 x 77	150	220-240V	50/60 Hz	18400	122	3000
FL PFM DA 150W 4000K ASYM 55X110 BK	4058075760578	451 x 330 x 77	150	220-240V	50/60 Hz	19900	132	4000
FL PFM DA 200W 3000K ASYM 55X110 BK	4058075760585	494 x 395 x 87	200	220-240V	50/60 Hz	24400	122	3000
FL PFM DA 200W 4000K ASYM 55X110 BK	4058075760592	494 x 395 x 87	200	220-240V	50/60 Hz	26400	132	4000
FL PFM DA 290W 3000K ASYM 55X110 BK	4058075760608	567 x 465 x 97	290	220-240V	50/60 Hz	35600	122	3000
FL PFM DA 290W 4000K ASYM 55X110 BK	4058075760615	567 x 465 x 97	290	220-240V	50/60 Hz	38500	132	4000
FL PFM DA 50W 3000K ASYM 45X140 BK	4058075760622	314 x 240 x 63	50	220-240V	50/60 Hz	5700	114	3000
FL PFM DA 50W 4000K ASYM 45X140 BK	4058075760639	314 x 240 x 63	50	220-240V	50/60 Hz	6200	124	4000
FL PFM DA 100W 3000K ASYM 45X140 BK	4058075760646	418 x 330 x 77	100	220-240V	50/60 Hz	11800	118	3000
FL PFM DA 100W 4000K ASYM 45X140 BK	4058075760653	418 x 330 x 77	100	220-240V	50/60 Hz	12800	128	4000
FL PFM DA 150W/3000K ASYM 45X140 BK	4058075760660	451 x 330 x 77	150	220-240V	50/60 Hz	18300	122	3000
FL PFM DA 150W 4000K ASYM 45X140 BK	4058075760677	451 x 330 x 77	150	220-240V	50/60 Hz	19800	132	4000
FL PFM DA 200W 3000K ASYM 45X140 BK	4058075760684	494 x 395 x 87	200	220-240V	50/60 Hz	24200	121	3000
FL PFM DA 200W 4000K ASYM 45X140 BK	4058075760691	494 x 395 x 87	200	220-240V	50/60 Hz	26200	131	4000
FL PFM DA 290W 3000K ASYM 45X140 BK	4058075760707	567 x 465 x 97	290	220-240V	50/60 Hz	35300	121	3000
FL PFM DA 290W 4000K ASYM 45X140 BK	4058075760714	567 x 465 x 97	290	220-240V	50/60 Hz	38200	131	4000
FL PFM DA 150W 3000K SYM R30 BK	4058075760721	451 x 330 x 77	150	220-240V	50/60 Hz	18700	124	3000
FL PFM DA 150W 4000K SYM R30 BK	4058075760738	451 x 330 x 77	150	220-240V	50/60 Hz	20200	134	4000
FL PFM DA 200W 3000K SYM R30 BK	4058075760745	494 x 395 x 87	200	220-240V	50/60 Hz	24800	124	3000
FL PFM DA 200W 4000K SYM R30 BK	4058075760752	494 x 395 x 87	200	220-240V	50/60 Hz	26800	134	4000
FL PFM DA 290W 3000K SYM R30 BK	4058075760769	567 x 465 x 97	290	220-240V	50/60 Hz	36200	124	3000
FL PFM DA 290W 4000K SYM R30 BK	4058075760776	567 x 465 x 97	290	220-240V	50/60 Hz	39100	134	4000
FL PFM DA 150W 3000K SYM 60 BK	4058075760783	451 x 330 x 77	150	220-240V	50/60 Hz	19800	132	3000
FL PFM DA 150W 4000K SYM 60 BK	4058075760790	451 x 330 x 77	150	220-240V	50/60 Hz	21000	140	4000
FL PFM DA 200W 3000K SYM 60 BK	4058075760837	494 x 395 x 87	200	220-240V	50/60 Hz	26400	132	3000
FL PFM DA 200W 4000K SYM 60 BK	4058075760844	494 x 395 x 87	200	220-240V	50/60 Hz	28000	140	4000
FL PFM DA 290W 3000K SYM 60 BK	4058075760851	567 x 465 x 97	290	220-240V	50/60 Hz	38300	132	3000
FL PFM DA 290W 4000K SYM 60 BK	4058075760868	567 x 465 x 97	290	220-240V	50/60 Hz	40600	140	4000










FLOODLIGHT PERFORMANCE

















	EAN	IP	IK	∇	R _a	Δ (°C)	PF	⚙️
FL PFM DA 50W 3000K ASYM 55X110 BK	4058075760523	66	08	55° x 110°	> 80	-30...+50	> 0.9	2.6kg
FL PFM DA 50W 4000K ASYM 55X110 BK	4058075760530	66	08	55° x 110°	> 80	-30...+50	> 0.9	2.6kg
FL PFM DA 100W 3000K ASYM 55X110 BK	4058075760547	66	08	55° x 110°	> 80	-30...+50	> 0.9	3.9kg
FL PFM DA 100W 4000K ASYM 55X110 BK	4058075760554	66	08	55° x 110°	> 80	-30...+50	> 0.9	3.9kg
FL PFM DA 150W 3000K ASYM 55X110 BK	4058075760561	66	08	55° x 110°	> 80	-30...+50	> 0.9	4.5kg
FL PFM DA 150W 4000K ASYM 55X110 BK	4058075760578	66	08	55° x 110°	> 80	-30...+50	> 0.9	4.5kg
FL PFM DA 200W 3000K ASYM 55X110 BK	4058075760585	66	08	55° x 110°	> 80	-30...+50	> 0.9	6.3kg
FL PFM DA 200W 4000K ASYM 55X110 BK	4058075760592	66	08	55° x 110°	> 80	-30...+50	> 0.9	6.3kg
FL PFM DA 290W 3000K ASYM 55X110 BK	4058075760608	66	08	55° x 110°	> 80	-30...+50	> 0.9	9.5kg
FL PFM DA 290W 4000K ASYM 55X110 BK	4058075760615	66	08	55° x 110°	> 80	-30...+50	> 0.9	9.5kg
FL PFM DA 50W 3000K ASYM 45X140 BK	4058075760622	66	08	45° x 140°	> 80	-30...+50	> 0.9	2.6kg
FL PFM DA 50W 4000K ASYM 45X140 BK	4058075760639	66	08	45° x 140°	> 80	-30...+50	> 0.9	2.6kg
FL PFM DA 100W 3000K ASYM 45X140 BK	4058075760646	66	08	45° x 140°	> 80	-30...+50	> 0.9	3.9kg
FL PFM DA 100W 4000K ASYM 45X140 BK	4058075760653	66	08	45° x 140°	> 80	-30...+50	> 0.9	3.9kg
FL PFM DA 150W 3000K ASYM 45X140 BK	4058075760660	66	08	45° x 140°	> 80	-30...+50	> 0.9	4.5kg
FL PFM DA 150W 4000K ASYM 45X140 BK	4058075760677	66	08	45° x 140°	> 80	-30...+50	> 0.9	4.5kg
FL PFM DA 200W 3000K ASYM 45X140 BK	4058075760684	66	08	45° x 140°	> 80	-30...+50	> 0.9	6.3kg
FL PFM DA 200W 4000K ASYM 45X140 BK	4058075760691	66	08	45° x 140°	> 80	-30...+50	> 0.9	6.3kg
FL PFM DA 290W 3000K ASYM 45X140 BK	4058075760707	66	08	45° x 140°	> 80	-30...+50	> 0.9	9.5kg
FL PFM DA 290W 4000K ASYM 45X140 BK	4058075760714	66	08	45° x 140°	> 80	-30...+50	> 0.9	9.5kg
FL PFM DA 150W 3000K SYM R30 BK	4058075760721	66	08	30°	> 80	-30...+50	> 0.9	4.5kg
FL PFM DA 150W 4000K SYM R30 BK	4058075760738	66	08	30°	> 80	-30...+50	> 0.9	4.5kg
FL PFM DA 200W 3000K SYM R30 BK	4058075760745	66	08	30°	> 80	-30...+50	> 0.9	6.3kg
FL PFM DA 200W 4000K SYM R30 BK	4058075760752	66	08	30°	> 80	-30...+50	> 0.9	6.3kg
FL PFM DA 290W 3000K SYM R30 BK	4058075760769	66	08	30°	> 80	-30...+50	> 0.9	9.5kg
FL PFM DA 290W 4000K SYM R30 BK	4058075760776	66	08	30°	> 80	-30...+50	> 0.9	9.5kg
FL PFM DA 150W 3000K SYM 60 BK	4058075760783	66	08	60°	> 80	-30...+50	> 0.9	4.5kg
FL PFM DA 150W 4000K SYM 60 BK	4058075760790	66	08	60°	> 80	-30...+50	> 0.9	4.5kg
FL PFM DA 200W 3000K SYM 60 BK	4058075760837	66	08	60°	> 80	-30...+50	> 0.9	6.3kg
FL PFM DA 200W 4000K SYM 60 BK	4058075760844	66	08	60°	> 80	-30...+50	> 0.9	6.3kg
FL PFM DA 290W 3000K SYM 60 BK	4058075760851	66	08	60°	> 80	-30...+50	> 0.9	9.5kg
FL PFM DA 290W 4000K SYM 60 BK	4058075760868	66	08	60°	> 80	-30...+50	> 0.9	9.5kg

								230 Vac		
	A	B	C	D	E			C10A	B16A	C16A
50W	130	94	9	-	9	2x M8	0.054m ²	8	8	14
100W	182	138	11	20	22	2x M10	0.097m ²	5	5	8
150W	182	138	11	20	22	2x M10	0.110m ²	5	5	8
200W	252	208	11	20	22	2x M10	0.146m ²	2	2	4
290W	269	191	13	22	39	2x M12	0.200m ²	2	2	3







LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com



C10449057
G11138184
23.03.22

© LEDVANCE Ltd, Aquila House
Delta Crescent, Westbrook, Warrington
WA5 7NR, United Kingdom

Points de collecte sur www.quefairedemesdechets.fr