

AIR FLOW FREE AIR 25 M3 PER H CUT OUT 92X92 MM 230 V
AC RAL 7035 INPUT POWER 12W DEGREE OF PROTECTION IP
54 with Connection cable 0,5 m FILTER FAN



Figure similar

Model	
Product brand name	SIVACON
Product designation	filter fan
Design of the product	With connecting cable 0.5 m
Type of ventilation	ventilation
Fan design / Insertable fan	No
Design of the product / EMC version	No
General technical data	
A-rated sound power level / maximum	30 dB
Consumed active power / Rated value	12 W
Cutout width	92 mm
Cutout height	92 mm
Operating period	37 500 h
Operating temperature / minimum	-10 °C
Rotor speed / at 50 Hz / rated value	2 700 1/min
Rotor speed / at 60 Hz / rated value	3 200 1/min
Type of voltage / of the operating voltage	AC

Protection class		
Protection class IP		IP54
Electricity		
Consumed current / minimum		0.07 A
Main circuit		
Operating voltage		
• at AC / at 50 Hz / rated value / maximum		230 V
• at AC / at 60 Hz / rated value / maximum		230 V
Appearance		
Color		RAL 7035
Product details		
Product component / Fan		No
Number		
Number of ventilators		1
Mechanical Design		
Height		105 mm
Width		105 mm
Depth		59.5 mm
Installation location		Control cabinet side panels, door, vertical
Mounting type		snap-on mounting
Mounting type		
• 19-inch installation		No
• wall mounting		Yes
Net weight		0.51 kg
Material		plastic
Certificates		
Equipment marking		
• acc. to DIN EN 61346-2		E
• acc. to DIN EN 81346-2		E
General Product Approval	Declaration of Conformity	other



[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR6423-5LV10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8MR6423-5LV10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR6423-5LV10

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>