

HEATER 120-240 V, 15 W HG140 14000.0-00



Figure similar

Model	
Product brand name	SIVACON
Product designation	heater unit
General technical data	
Consumed active power / Rated value	15 W
Operating temperature	
• minimum	-45 °C
• maximum	70 °C
Voltage	
Type of voltage / of the operating voltage	AC/DC
Continuous heat output / at 20 °C	15 W
Inrush current / typical	1.5 A
Protection class	
Protection class IP	IP20
Main circuit	
Operating voltage	

• rated value / minimum	120 V
• rated value / maximum	240 V
• at AC / at 50 Hz / rated value / minimum	120 V
• at AC / at 50 Hz / rated value / maximum	240 V
• at AC / at 60 Hz / rated value / minimum	120 V
• at AC / at 60 Hz / rated value / maximum	240 V
• at DC / rated value / minimum	120 V
• at DC / rated value / maximum	240 V
Operating current / of the slow-blow fuse link	1 A

Product details

Product component	
• blower	No
• Thermostat	No

Accessories

accessories	Screw fixing, 8MR2110-1BB
--------------------	---------------------------

Connections

Type of connection	3 x clamping terminals for stranded wire 0.5 - 1.5 mm ² and solid wire 0.5 - 2.5 mm
---------------------------	--

Mechanical Design

Height	65 mm
Width	70 mm
Depth	60 mm
Mounting type	Clip for 35 mm DIN rail
Net weight	0.3 kg
Material / of the enclosure	plastic

Environmental conditions

Relative humidity / Reference value	90 %
Ambient temperature	
• during storage / minimum	-45 °C
• during storage / maximum	70 °C

Certificates

Equipment marking	
• acc. to DIN EN 61346-2	R
• acc. to DIN EN 81346-2	E

General Product Approval

Declaration of Conformity



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR2130-1A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8MR2130-1A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR2130-1A

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>