

Prepared (also subject responsible if other) HCI/T Jens Samuelsson		No. 1301-HMPB 306 21 Uen		
Approved HCI/T (Peter Lo Curzio)	Checked	Date 2018-06-27	Rev C	Reference

## Divisible duct repair kit for Microducts



Divisible duct repair kit

### CONTENTS

1	General information.....	1
2	Product numbers .....	2
3	Performance.....	2
4	References.....	2
5	Revision History .....	2

## 1 General information

Divisible duct repair kit for Miniducts are used for sealing and protection of ducts against gas and water penetration. No changes must be made without informing Hexatronic.

The products must conform to the documents and standards referred in chapter 4.

Prepared (also subject responsible if other) HCI/T Jens Samuelsson		No. 1301-HMPB 306 21 Uen		
Approved HCI/T (Peter Lo Curzio)	Checked	Date 2018-06-27	Rev C	Reference

## 2 Product numbers

Product number	Function designation
HMPB 306 21/5	Divisible duct repair kit 5mm
HMPB 306 21/7	Divisible duct repair kit 7mm
HMPB 306 21/8	Divisible duct repair kit 8mm
HMPB 306 21/12	Divisible duct repair kit 12mm
HMPB 306 21/14	Divisible duct repair kit 14mm
HMPB 306 21/16	Divisible duct repair kit 16mm
HMPB 306 21/20	Divisible duct repair kit 20mm

## 3 Performance

The product is designed to meet all performance requirements over a period of at least 20 years under normal conditions and use.

Temperature range: -25°C to 60°C

Gas and watertight: Up to 5 Bar

Air flow pressure: Up to 16 Bar

Size: 42x40x145mm (/5 to /16)  
49x47x145mm (/20)

## 4 References

- [1] HCI-0418 Packing and Marking instructions
- [2] 2011/65/EU RoHS
- [3] 1907/2006/EG REACH

## 5 Revision History

Date	Revision	Description
2018-04-26	B	New product added, HMPB30621/12.
2018-06-27	C	New products added, HMPB30621/8 and /20.

Prepared (also subject responsible if other) HCI/T Jens Samuelsson		No. 1301-HMPB 306 21 Uen		
Approved HCI/T (Peter Lo Curzio)	Checked	Date 2018-06-27	Rev C	Reference