

## COVERS FOR HEATPUMPS



**C-001**  
D x W x h-H  
520 x 1055 x 620-760 mm  
19 pcs. / pallet

**C-001 L9**  
D x W x h-H  
520 x 1055 x 620-760 mm  
19 pcs. / pallet

**C-001 R+50**  
D+d x W x h-H  
520+50 x 1055 x 620-760 mm  
19 pcs. / pallet

**C-001 760**  
D x W x h-H  
520 x 1055 x 760-900 mm  
19 pcs. / pallet



**C-001 h900**  
D x W x h-H  
520 x 1055 x 900-1040 mm  
19 pcs. / pallet

**C-001 h900 R+50**  
D+d x W x h-H  
520+50 x 1055 x 900-1040 mm  
19 pcs. / pallet

**C-001 DH**  
D x W x h-H  
520 x 1055 x 1240-1380 mm  
19 pcs. / pallet

**C-001 1545**  
D x W x h-H  
520 x 1055 x 1545-1685 mm  
19 pcs. / pallet

**C-001 1545 R+50**  
D+d x W x h-H  
520+50 x 1055 x 1545-1685 mm  
19 pcs. / pallet

**C-002**  
D x W  
589 x 1131 mm  
31 pcs. / pallet



**C-002 W940**  
D x W  
589 x 940 mm  
37 pcs. / pallet

**C-002 W940 B**  
D x W  
589 x 940 mm  
45 pcs. / pallet

**C-003**  
D x W x h-H  
520 x 940 620-760 mm  
21 pc. / pallet

**C-003 L9**  
D x W x h-H  
520 x 940 620-760 mm  
21 pc. / pallet

**C-003 B**  
D x W x h-H  
520 x 940 620-760 mm  
21 pc. / pallet

**C-003 C**  
D x W x h-H  
520 x 940 620-760 mm  
21 pc. / pallet



**C-003 L12**  
D x W x h-H  
520 x 940 620-760 mm  
21 pc. / pallet

**C-004 h1040 D650**  
D x W x h-H  
650 x 1191 x 1040-1215 mm  
19 pc. / pallet

**C-004 B h1040 D650**  
D x W x h-H  
650 x 1191 x 1040-1215 mm  
19 pc. / pallet

**C-005 B h1460 D700**  
D x W x h-H  
700 x 1291 x 1460-1650 mm  
19 pc. / pallet

# List of Models

- C-001..... 3
- C-001 L9 ..... 4
- C-001 R+50..... 5
- C-001 h760..... 6
- C-001 h900..... 7
- C-001 h900 R+50..... 8
- C-001 DH..... 9
- C-001 h1545..... 10
- C-001 h1545 R+50..... 11
- C-002..... 12
- C-002 W940 ..... 13
- C-002 W940 B ..... 14
- C-003..... 15
- C-003 L9 ..... 16
- C-003 B ..... 17
- C-003 C..... 18
- C-003 L12 ..... 19
- C-004 h1040 D650 ..... 20
- C-004 B h1040 D650 ..... 21
- C-005 B h1460 D700 ..... 22

## COVER

FOR HEATPUMPS

Model No. C-001

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **semi-assembled - 2 loose wooden parts to be attached to each other**
- Fact # 9: fasteners included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **19 pcs. per pallet** (800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 1055 x 620-760 mm  
(D x W x h-H)



C-001

## COVER

FOR HEATPUMPS

Model No. C-001 L9

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **semi-assembled - 2 loose wooden parts to be attached to each other**
- Fact # 9: fasteners included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **19 pcs. per pallet** (800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 1055 x 620-760 mm  
(D x W x h-H)



C-001 L9

## COVER

FOR HEATPUMPS

Model No. C-001 R+50

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: semi-assembled - 2 loose wooden parts to be attached to each other
- Fact # 9: fasteners included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 19 pcs. per pallet (800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520+50 x 1055 x 620-760 mm  
(D+d x W x h-H)



**C-001 R+50**

## COVER

FOR HEATPUMPS

Model No. C-001 h760

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **semi-assembled - 2 loose wooden parts to be attached to each other**
- Fact # 9: fasteners included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **19 pcs. per pallet** (920 x 1220 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 1055 x 760-900 mm  
(D x W x h-H)



**C-001 h760**

## COVER

FOR HEATPUMPS

Model No. C-001 h900

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: semi-assembled - 2 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 19 pcs. per pallet (1040 x 1220 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 1055 x 900-1040 mm  
(D x W x h-H)



**C-001 h900**

## COVER

FOR HEATPUMPS

Model No. C-001 h900 R+50

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: semi-assembled - 2 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 19 pcs. per pallet (1040 x 1220 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520+50 x 1055 x 900-1040 mm  
(D+d x W x h-H)



**C-001 h900 R+50**



## COVER

FOR HEATPUMPS

Model No. C-001 DH

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: semi-assembled - 2 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 19 pcs. per pallet (1220 x 1420 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 1055 x 1240-1380 mm  
(D x W x h-H)



C-001 DH

## COVER

FOR HEATPUMPS

Model No. C-001 h1545

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: semi-assembled - 2 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 19 pcs. per pallet (1220 x 1730 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 1055 x 1545-1685 mm  
(D x W x h-H)



**C-001 h1545**

## COVER

FOR HEATPUMPS

Model No. C-001 h1545 R+50

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: semi-assembled - 2 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 19 pcs. per pallet (1220 x 1730 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520+50 x 1055 x 1545-1685 mm  
(D+d x W x h-H)



**C-001 h1545 R+50**

## COVER

FOR HEATPUMPS

Model No. C-002

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **semi-assembled - 3 loose wooden parts to be attached to each other**
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **31 pcs. per pallet**  
(800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
589 x 1131 mm  
(D x W)



C-002

## COVER

FOR HEATPUMPS

Model No. C-002 W940

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **semi-assembled - 3 loose wooden parts to be attached to each other**
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **37 pcs. per pallet**  
(800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
589 x 940 mm  
(D x W)



**C-002 W940**

## COVER

FOR HEATPUMPS

Model No. C-002 W940 B

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **semi-assembled - 3 loose wooden parts to be attached to each other**
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **45 pcs. per pallet**  
(800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
589 x 940 mm  
(D x W)



**C-002 W940 B**

## COVER

FOR HEATPUMPS

Model No. C-003

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: 4 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 21 pcs. per pallet (800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 940 x 620-760 mm  
(D x W x h-H)



C-003

## COVER

FOR HEATPUMPS

Model No. C-003 L9

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: 4 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 21 pcs. per pallet (800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 940 x 620-760 mm  
(D x W x h-H)



C-003 L9



## COVER

FOR HEATPUMPS

Model No. C-003 B

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **4 loose wooden parts to be attached to each other**
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **21 pcs. per pallet**  
(800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 940 x 620-760 mm  
(D x W x h-H)



C-003 B

## COVER

FOR HEATPUMPS

Model No. C-003 C

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **4 loose wooden parts to be attached to each other**
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **21 pcs. per pallet** (800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 940 x 620-760 mm  
(D x W x h-H)



C-003 C

## COVER

FOR HEATPUMPS

Model No. C-003 L12

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **4 loose wooden parts to be attached to each other**
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **21 pcs. per pallet** (800 x 1200 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
520 x 940 x 620-760 mm  
(D x W x h-H)



C-003 L12

## COVER

FOR HEATPUMPS

Model No. C-004 h1040 D650

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: 4 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 19 pcs. per pallet (1270 x 1350 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
650 x 1191 x 1040-1215 mm  
(D x W x h-H)



**C-004 h1040 D650**

## COVER

### FOR HEATPUMPS

Model No. C-004 B h1040 D650

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: **impregnated**
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: **solid construction**
- Fact # 7: high quality
- Fact # 8: **4 loose wooden parts to be attached to each other**
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: **19 pcs. per pallet**  
(1270 x 1350 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
650 x 1191 x 1040-1215 mm  
(D x W x h-H)



**C-004 B h1040 D650**

## COVER

FOR HEATPUMPS

Model No. C-005 B h1460 D700

- Fact # 1: suitable for Scandinavian climate
- Fact # 2: coniferous wood
- Fact # 3: impregnated
- Fact # 4: can be painted after unpacked
- Fact # 5: humidity 18 % (max.)
- Fact # 6: solid construction
- Fact # 7: high quality
- Fact # 8: 4 loose wooden parts to be attached to each other
- Fact # 9: fixture included (for wooden, brick, stone, concrete walls)
- Fact # 10: flat-packed
- Fact # 11: 19 pcs. per pallet  
(1450 x 1700 x 2550 mm)
- Fact # 12: lower stocking costs
- Fact # 13: easy to distribute - all covers are packed into single packing
- Fact # 14: easy to assemble / disassemble in 5 minutes
- Fact # 15: no assembling instruction is needed
- Fact # 16: easy to paint / repaint
- Fact # 17: easy to mount / demount
- Fact # 18: dimensions and design can be adjusted according customer's needs



Inside dimensions:  
700 x 1291 x 1460-1650 mm  
(D x W x h-H)



**C-005 B h1460 D700**