

# **Nexans MOBIWAY MOB**

Nexans MOBIWAY MOB system (composed of 2 flanges)



Nexans Ref.: 10286736 Country Ref.: 01273220 EAN 13: 3427500035405



# CONTACT

Building Products Information contact.fr@nexans.com

International Designation: Nexans MOBIWAY MOB system (composed of 2 flanges)

Nexans MOBIWAY MOB, simple solution for building installers worldwide

Click! Lock! Roll!

## **AVANTAGES**

Nexans offers a new and innovative reel unwinding system :  ${\bf Nexans}$   ${\bf MOBIWAY}$   ${\bf MOB}$ .

# Nexans Mobiway MOB Kit consists of :

- A new reel, in lengths, from 150m to 300m, depanding on the cable corss section,
- 2 flangesthat clip onto the MOBIWAY MOB reels.

#### The benefits:

- Facilitates transport
- Faster unrolling
- Several cables can be pulled at the same time

Practical and solid, the Nexans **MOBIWAY Mob** kit makes it **easy to transport** the Mobiway Mob reels thanks to its **more ergonomic** handle than the first version. Its new anti-slip pads provide better stability even at the end of a pull. A **clip-on system** for the Mobiway Mob kits allows**several reels to be unwound simultaneously**.

Le kit Mobiway MOB is **made in France**, and is reusable.

#### INSTALLATION

# Transport and unroll your cable with 2 clips

- Snapthe MOBIWAY™ MOB flanges onto the MOBIWAY™ MOBdrum& lock them into place
- Open the handles to **easily carry the drum**, by one or 2 people depending on the weight left on the drum
- Put the drum down and click the handles into the standing position
- Unwind the cable
- When the drum is empty, simply unlock the MOBIWAY™ MOB flanges and reuse them on a new MOBIWAY™ MOB drum.



# **Nexans MOBIWAY MOB**

Nexans MOBIWAY MOB system (composed of 2 flanges)

## **CHARACTERISTICS**

#### **Dimensional characteristics**

Approximate net weight

2.2 kg

Height

Width

370 mm

# **OUR SUITABLES RANGES**

#### U-1000 R2V DISTINGO NX'TAG

10285295 U-1000 R2V DISTING	SO NX'TAG MOBIWAY MOB 3G1.5 D300	
10285298 <u>U-1000 R2V DISTING</u>	O NX'TAG MOBIWAY MOB 3G2.5 D250r	n

**10285506** <u>U-1000 R2V DISTINGO NX'TAG MOBIWAY MOB 4G1.5 D250m</u>

10285500 U-1000 R2V DISTINGO NX'TAG MOBIWAY MOB 5G1.5 D200m

10285514 U-1000 R2V DISTINGO NX'TAG MOBIWAY MOB 5G2.5 D150m

**10277313** <u>U-1000 R2V DISTINGO MOBIWAY MOB 3G6 D100m</u>

#### **EASYFIL**

**10283245** EASYFIL MOBIWAY MOB 3H07V-U 1.5 D500 **10283108** EASYFIL MOBIWAY MOB 3H07V-U 2.5 D300

#### H07V-R

10283109	H07V-R MOBIWAY MOB 1x6 BLEU D500
10283110	H07V-R MOBIWAY MOB 1x6 ROUGE D500
10283111	H07V-R MOBIWAY MOB 1G6 V/J D500

#### **CUIVRE NU**

**10186364** <u>CUIVRE NU 25 MOBIWAY MOB D50m</u> **10163453** <u>CUIVRE NU 25 MOBIWAY MOB D100m</u>

# **ALSECURE PREMIUM**

10276586 ALSECURE PREMIUM MOBIWAY MOB 2x1.5 D300m

### F/UTP Cat 6

10273802 F/UTP Cat 6 LSZH Dca 4P IV MOBIWAY MOB D500m



Nexans MOBIWAY MOB system (composed of 2 flanges)

# **BENEFITS**

